

How Do I...

- » Contact the Corps?
- » Find a Recreation Area?
- » Get a Regulatory Permit?
- » Get a Film Permit?
- » Get a Job with the Corps?
- » Contract with the Corps?
- » Find a Local Corps Office?
- » Find Corps Publications?
- » Find a Corps Map?

### **FONT SIZE**

A+ | A- | Reset

MAIN MENU

Home

Arizona/Nevada Area

Southern CA Area

**News Room** 

- News Releases
- Stories
- Media Advisory
- NewsCastle
- Video Archives

NewsCastle

**Public Notices** 

Projects & Studies

Departments

Contracting & Bids

Regulatory

Reservoir Regulation

Links

Search

Contact Us

**RELATED ITEMS** 

CONTACT INFO

US Army Corps of Engineers Los Angeles District 915 Wilshire Blvd., Suite 980 Los Angeles, CA 90017 By appointment only

District Commander:

### LATEST NEWS & EVENTS

Corps to meet with community on Bull Creek Ecosystem Restoration project

Corps designates two reaches of Santa Cruz River as 'Traditional Navigable Water'

Corps participates in the 8th Annual L.A. River Ride Bid Results - Contracting Division

NR08-11 - Corps determines two Santa Cruz River reaches 'traditionally navigable waters' **POPULAR** 

Advertised Solicitations - Cont Southern CA Area Projects - In Arizona / Nevada Area Project Bid Results - Contracting Divisi 104797 - Ballona Creek Restora 076163 - Upper Newport Bay H 075354 - Santa Ana River Main: Film Permitting Information

Home News Room News Releases Corps designates two reaches of Santa Cruz River Water

Corps designates two reaches of Santa Cruz River as 'Traditional Navigable Water'

Written by Jennie Ayala Tuesday, 10 June 2008

News Release 08-13

US Army Corps Of Engineers June 10, 2008 Immediate

Jennie Ayala

Telephone:(602) 640-2015 ext. 285 Email: PublicAffairs.SPL@usace.army.mil

Corps designates two reaches of Santa Cruz River as 'Traditional Navigable Water'

LOS ANGELES - The Corps of Engineers has determined that two reaches of the Santa Cruz River; waters" (TNWs), The determination is consistent with the Clean Water Act and national guidance U.S. Environmental Protection Agency (EPA) and the Corps and court precedent. TNWs include "Lucrently used, or were used in the past, or may be susceptible to use in interstate or foreign cor

The two reaches are Study Reach A, from the Tubac gaging station downstream to the Continenta Reach B, from the Roger Road wastewater treatment plant downstream to Pima/Pinal County line

Col. Thomas H. Magness IV, commander of the U.S. Army Corps of Engineers Los Angeles District, the Study Reaches' potential for commercial recreational navigation uses, as indicated by an ana physical characteristics, such as frequency, duration, and permanency of flow, and the multiple process.

COL Thomas H. Magness, IV

Public Affairs Office: Jay Field, Chief

Telephone & Email: For further questions, please call or email us at...

Phone: (213) 452-3908/3333 Fax: (213) 452-4209

Content POC: Public Affairs Technical POC: Webmaster

**USACE RSS FEED** 

What is RSS?

S, et al sign

the Reaches, such as low river banks, bridges, and trail systems.

The decision comes through examination of several requests in Pima County to determine jurisdic to the Study Reaches of the Santa Cruz River.

"The finding that these reaches are TNWs is an important step in the process of determining the jurisdiction under the Clean Water Act (CWA)," Magness said. "We will continue to evaluate all t that are protected by section 404 of the CWA."

Under the Act and recent Supreme Court decisions, waters that are jurisdictional under the CWA wetlands, relatively permanent waters and directly abutting wetlands, as well as other waters an possessing a significant nexus to a TNW. Discharges of dredged or fill material into these protects CWA permit from the Corps.

"The Corps is committed to working with all stakeholders to protect the many important water rethe Clean Water Act," said Magness.

For more information contact Jennie Ayala, in the L.A. District's Phoenix, Ariz., Public Affairs Ofi 285.

Click here to view signed decision.

Click here to view Q & A's.

Next >

[Back]

© 2008 US Army Corps of Engineers - Los Angeles District

This is an official US Government information system for authorized use only. It is intended for unclassified, non-sensitive, non-privacy act information.

About Us | Privacy and Security Notification | Section 508 Compliance | Site Map | Contact Us

CESPL-RG-A 23 May 2008

### MEMORANDUM FOR THE RECORD

SUBJECT: Determination of Two Reaches of the Santa Cruz River as Traditional Navigable Waters (TNW)

### Summary

The Corps' Los Angeles District has determined that two reaches of the Santa Cruz River, Study Reach A from Tubac gage station (USGS #09481740) to the Continental gage station (USGS #09482000) and Study Reach B from Roger Road wastewater treatment plant (WWTP) downstream to the Pima/Pinal County line, Arizona, as shown in Exhibit A, are TNWs (collectively, referred to as the "Study Reaches"). This determination is consistent with the Clean Water Act (CWA), the agencies' regulations (including 33 C.F.R.§ 328.3), relevant case law, and existing guidance, including the June 5, 2007 joint U.S. Environmental Protection Agency and Department of the Army legal memorandum entitled Clean Water Act Jurisdiction Following the U.S. Supreme Court's Decision in Rapanos v. United States & Carabell v. United States (Rapanos Guidance) and Appendix D of the U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook issued June 5, 2007 (Appendix D).

### Background

The Santa Cruz River originates in Arizona, flows south into Mexico, and then flows north again into Arizona. It is the primary river which flows from Nogales, Mexico through Tucson, Arizona, and a number of Indian reservations, including Tohono O'odham Nation (TON), to the Gila River near Phoenix. The watershed of the Santa Cruz River is approximately 8,600 square miles. Until the late nineteenth century, the Santa Cruz River was primarily a perennial watercourse that served the region's agricultural needs until a quickly developing industrial society began to tap the river's subsurface flow (Exhibit B).

The Upper Santa Cruz River Valley, located between Nogales, Arizona on the US-Mexico border, and extending 65 miles north to the major urban area of Tucson, has a long history of European settlement spanning three centuries. Prior to the discovery of the area by European explorers, the area was inhabited for thousands of years by aboriginal native peoples. The Santa Cruz River has long been an important corridor for trade and exploration. The river and its well-established riparian habitat have served as a vital commodity for people and wildlife in the region. <sup>1</sup>

In addition to the use of the Study Reaches by recreational watercraft described in case-specific analysis below, in the mid 1850s, William Rowlett and his brother, Alfred, constructed an earthen dam on the Santa Cruz River south of the present-day Silverlake Road. They also installed a water-powered flour mill at this location in 1857/58. In 1860, William Grant purchased the flour mill and the dam/lake and improved the dam and mill in order to supply military posts in the southwestern region. He built a second, larger mill on the river and purchased the machinery in California. However, the mill was burned in 1861 to keep it from falling into Confederate hands. The mill was purchased by James Lee and returned to operations in 1864. In 1884, the mill, dam,

<sup>&</sup>lt;sup>1</sup> The Santa Cruz River: A Resource Shared by Two Cities by Hugh Holub, paper presented to the Border XXI EPA Regional Water Sub Work Group Meeting on March 6, 2001, Nogales, Sonora.

and lake were sold to Frederick Maish and Thomas Driscoll who developed the Silver Lake Resort. In 1883, Solomon Warner built a second dam and mill on the river. The lake was approximately 60 acres, 8 feet deep, and the *Arizona Citizen* reported the use of a flat-bottom boat on the lake. Waterfowl populated the lake and hunting organizations claimed exclusive rights to shooting the waterfowl. The dams at both Silver Lake and Warner's Lake were breached by floods in 1886 and 1887; the *Arizona Star* reported on July 13, 1887 that the river was wide and deep enough to float a "mammoth steamboat." In 1888, Frank and Warren Allison purchased Warner Lake, repaired the dam, and stocked the lake with carp for commercial fish production selling over 500 pounds of fish per day. Both dams were washed out by 1890.<sup>2</sup>

Further, in the summer of 1951, Glenton G. Syke, Tucson city engineer, navigated the Santa Cruz River in a 14-foot-long boat from the San Xavier del Bac Mission to Congress Street in Tucson.<sup>3</sup>

The Study Reaches were selected based on personal knowledge of the river by Regulatory staff, evidence of perennial flows based on stream gage data, and more readily available evidence of navigability.

### Basis for TNW Determination

The Rapanos Guidance indicates that in its context, the term TNW refers to those waters that are under the jurisdiction of the Corps, pursuant to 33 C.F.R. § 328.3(a)(1), (i.e., "[a]II waters which are currently used, or were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide."

As stated in Appendix D: "when determining whether a water body qualifies as a "traditional navigable water" (i.e., an (a)(1) water), relevant considerations include whether a Corps District has determined that the water body is a navigable water of the United States pursuant to 33 C.F.R. § 320.14, or the water body qualifies as a navigable water of the United States under any of the tests set forth in 33 C.F.R. Part 329, or a federal court has determined that the water body is navigable-in-fact under federal law for any purpose, or the water body is "navigable-in-fact" under the standards that have been used by the federal courts."

To determine whether the Study Reaches are a TNW, in accordance to 33 C.F.R. § 328.3(a)(1), a case-specific analysis to evaluate whether the Study Reaches are navigable-in-fact, including consideration of its potential susceptibility to interstate and foreign commerce, was undertaken. The Corps has determined that the Study Reaches are a TNW based on the following factors:

1. The physical characteristics of the Santa Cruz River within the Study Reaches indicate that they have the capacity and susceptibility to be navigated by recreational watercraft.

A. Study Reach A is approximately 22 miles in length. The river near Tubac is typically more confined in ordinary flows to a channel approximately 15-20 feet wide with an approximate 1.5 mile wide, densely vegetated floodplain. Downstream of Amado, the floodplain increases in width to approximately 2.5 miles; the river channel is less confined, less vegetated, and more braided. Exhibit C shows monthly and daily flows for the Tubac, Amado, and Continental gage stations, as well as peak flows for the Amado and Continental gage stations (Tubac information unavailable). The monthly gage data indicate perennial flow at Tubac since

<sup>&</sup>lt;sup>2</sup> History of Navigation of the Santa Cruz River by Don Bufkin, citation unknown.

<sup>&</sup>lt;sup>3</sup> Admiral of the Santa Cruz by Glenton G. Sykes, The Journal of Arizona History, Vol. 20, Number 4, Winter, 1979.

1996, flow most months at the Amado gage station since 2003 (prior years unavailable), and intermittent flows at the Contintental gage station.<sup>4</sup> Average daily flows are typically lower in May and June but increase during the summer monsoon season which typically begins in July. Average daily flow rates again typically increase during December and January. The gage data indicate the highest daily mean value at the Tubac gage station over the last 11-12 years was 637 cubic feet per second (cfs) during October and the lowest daily mean value at the same station during the same period was 4.5 cfs during June. The highest daily mean values typically occur from July-October. The range of mean monthly flows (6.9 to 78 cfs) and the average daily flow in a representative year of 35 cfs indicate perennial flow at the Tubac gage station. The mean monthly discharge information at the Amado gage station is only available since October, 2003: the mean monthly discharge at this station in the last four years varied from .97 cfs to 67 cfs while the daily mean flow chart at the Amado gage station indicates perennial flow. The mean monthly discharge at the Continental gage station since 1940 varies from .43 cfs to 76 cfs while the mean daily values since 1939 shows flow daily with the exception of mid to late May through mid-June. This is expected since the river begins subsurface flow at this point, which defines the downstream end of this Study Reach.

B. Study Reach B is approximately 32 miles in length. The width of the riverbed varies from approximately 280 feet at the Roger Road WWTP to approximately 670 feet at Cortaro and approximately 575 feet at Trico Road while the active (ordinary flow) river channel at all three locations varies from 40-60 feet; at one location within this Study Reach, the river diverges into two similarly-sized channels. The river in Study Reach B is often confined at its maximum width by steep banks with soil cement or other bank stabilization in several locations. In other locations, for example at Ina Road, the river has lower, easily accessible, vegetated banks. Some areas are more densely vegetated than others. Exhibit C shows monthly, daily, and peak flows for gage stations at Cortaro and Trico Road (just upstream of the Pima/Pinal County line). Average daily flows are typically lower in May and June but increase during the summer monsoon season which typically begins in July. Average daily flows again typically increase during December and January. The highest average daily mean value at the Cortaro gage station over the last 57-60 years was 703 cfs, also in October, and the lowest average daily mean value at the same station over the same period was 22 cfs during June. The average monthly discharge ranges from 23 to 124 cfs and the average daily flow in a representative year of 75 cfs indicate perennial flow at the Cortaro gage station. At the Trico Road gage station, since 1997, the average monthly discharge ranged from 3.5 cfs to 710 cfs and daily mean values since 1989 ranged from 11 cfs to 863 cfs. The gage data document perennial flow at the Cortaro and Trico Road gages every month since 1996 with the exception of October, 1996.6

C. The peak flow charts demonstrate the frequency of flows which exceed 1,000 cfs. Peak flow data is unavailable at the Tubac gage station; however, the maximum peak flow at the Amado gage station since 2004 was approximately 7,800 cfs and peak flow has approached or exceeded 2,000 cfs annually. The maximum peak flow at the Continental gage station was approximately 45,000 cfs in the early 1980s and the minimum peak flow has exceeded 1,000 cfs 63 times since 1940. The maximum peak flow at the Cortaro gage station exceeded 60,000 cfs in the early 1980s and has exceeded 1,000 cfs on an annual basis from 1940-1988 with the exception of once in the 1940s and once in the 1950s; the peak flow at the Cortaro gage station

4 http://nwis.waterdata.usgs.gov/az/nwis/monthly

<sup>&</sup>lt;sup>5</sup> http://nwis.waterdata.usgs.gov/az/nwis/dvstat

<sup>6</sup> Ibid

<sup>&</sup>lt;sup>7</sup> http://nwis.waterdata.usgs.gov/az/nwis/peak

has also exceeded 1,000 cfs on an annual basis since approximately 1995. The maximum peak flow at the Trico gage station exceeded 25,000 cfs in 2007 and the minimum peak flow has been at or exceeded 1,000 cfs most years since 1989. The figures at the end of Exhibit C indicate the "real time" stages for late March-early April, 2008, at the Tubac, Cortaro, and Trico Road gage stations indicating flows in the river on a daily basis. All three stations indicated flows with depths varying from 1-2 feet and no precipitation had occurred for approximately 6 weeks. Additional real-time stage data obtained for late May is also provided for Tubac, Green Valley (near Continental), Cortaro, and Trico Road and indicates 1-2 feet of water currently in the channel at all the above locations. Extremely light precipitation occurred one day during this timeframe; however, the amount of precipitation received would not have been sufficient to cause surface flows 10. A list of the large magnitude peak flow events of the Santa Cruz River over the last 100 years is provided at Exhibit D. 11

- D. While there is a variation in minimum flow required for canoeing, studies indicate the 95% confidence interval on the predicted minimum canoeing flow of 86 cfs for flatwater is 63 to 118 cfs. <sup>12</sup> Approximately two-three feet of water depth is sufficient to float a canoe, kayak, or small boat. Based on the above information, during most days from July-October and again for approximately half the months of December and January, there is sufficient flow in the Santa Cruz River within the Study Reaches to float a canoe (based on the average daily mean value). Typically a kayak would be able to navigate in lower flows and less water than canoes.
- E. Based on aerial photographs attached at Exhibit E, the Santa Cruz River from Tubac gage station to just upstream of Continental gage station and Roger Road WWTP to the Pima/Pinal County line has uninterrupted flow.
- F. The Arizona Department of Environmental Quality has adopted water quality standards for the Santa Cruz River for partial body contact.<sup>13</sup> Partial body contact allows for use of the surface water where the body comes into contact with the water but does not become fully submerged. Allowable uses under partial body contact would include but are not limited to boating and wading.
  - 2. The Study Reaches within the Santa Cruz River have public accessibility.
- A. The river has low banks in the vicinity of Tubac which allows for easy public access; these areas are currently frequented by riders on horseback. Resorts along the river provide access for out-of-state visitors for birding and hiking along the river.
- B. Two Corps of Engineers feasibility studies for river restoration, El Rio Medio and Tres Rios del Norte, are in process. El Rio Medio will begin at Congress Street and progress downstream to Prince Road; Tres Rios del Norte will begin at Prince Road and progress

11 http://www.wrh.noaa.gov/twc/hydro/floodhis.php

National Weather Service Advanced Hydrologic Prediction Service: http://www/nws.noaa.gov/oh/ahps/ Personal observation, Marjorie Blaine, Senior Project Manager, Regulatory Division, Tucson Project Office

<sup>10</sup> Ibid

<sup>&</sup>lt;sup>12</sup> Riparian Areas of the Southwestern United States: Hydrology, Ecology, and Management by Malchus B. Baker and Peter F. Ffolliott, CRC Press, 2004

<sup>&</sup>lt;sup>13</sup> Personal communication with Steve Pawlowski, Arizona Department of Environmental Quality, Unit Manager, Water Quality Standards and Assessments, April 24, 2008.

downstream to Sanders Road in Marana. These projects will provide public trails along the river. Although the final design for these two projects has not been completed, it is likely river access will be provided. The two projects are shown in Exhibit F.

- C. There is currently public access to the river at several bridges, including but not limited to the Ina Road bridge where there are pull-out areas, the Cortaro Road bridge (including a parking lot), and at the Sanders Road bridge in Marana. All of these bridges have easy access to Interstate 10.
- D. The historic 1200-mile Juan Bautista de Anza National Historic Trail runs from Nogales, Arizona to San Francisco, California. This trail parallels and overlaps the Santa Cruz River in the Study Reaches. The river can be accessed at several points along this trail in the Study Reaches by auto or also on foot (Exhibit F).
- 3. The Study Reaches of the Santa Cruz River have been used for interstate commerce and have the potential to be used for commercial activities involving navigation and interstate commerce in the future.
- A. Navigation has occurred historically and recent times within the Study Reaches of the Santa Cruz River.
- (1) On August 23, 2005, as part of a promotion, a local radio show host navigated the Santa Cruz River in a raft for an unspecified distance starting at El Camino del Cerro (within Study Reach B) (Exhibit G).
- (2) In October, 1994, two members of the Friends of the Santa Cruz navigated a 17-foot-long canoe from a point south of Tubac three miles to a point north of Tubac (Exhibit G).
- B. The Santa Cruz River is an international and interstate water. Several areas along the river provide access for birding by out-of-state visitors and resorts bordering the river, such as the Tubac Golf Resort, host out-of-state visitors who partake in local recreation including hiking, horseback riding, and birding along the river. The Tucson Audubon Society's North Simpson Farm is an area where prolific riparian habitat restoration projects have been focused and it is well-known for its opportunities for birding. This type of "ecotourism" provides a significant water resource-oriented opportunity in the desert. The Study Reaches and other areas within the region receive many interstate and foreign tourists seeking to expand their "bird list"; the Sonoran Desert, particularly in riparian areas such as the Santa Cruz River, provides a significant opportunity to see species endemic to this area.
- C. Use of the river within the Study Reaches by recreational watercraft provides evidence of the susceptibility for commercial use.

### Determination

Public access points within of the Study Reaches such as low river banks, bridges, and trail systems, together with their physical characteristics, such as frequency, duration, and permanency of flow, indicate that the Study Reaches have the potential to be used for commercial recreational navigation activities, such as canoeing, kayaking, birding, nature and wildlife viewing. Such attractions and activities demonstrate that the Study Reaches may be susceptible to use in interstate commerce. Collectively, the above discussed factors demonstrate that the Study

Reaches are navigable-in-fact, and thus a TNW, susceptible to use in interstate commerce associated with recreational navigation activities. Therefore, I hereby determine that the Study Reaches are subject to the jurisdiction of Section 404 of the CWA, pursuant to 33 C.F.R. § 328.3(a)(1).

This determination does not 1) consider any other potentially applicable bases for determining CWA jurisdiction within the Study Reaches or 2) foreclose analysis of other areas of the Santa Cruz River outside the Study Reaches for purposes of determining CWA jurisdiction.

Date / 23 / U

Thomas H. Magness

Colonel, US Army District Commande

Exhibits A-G

		•	

### **EXHIBIT A**

### Study Reaches A and B


Maps Source: Arizona Department of Water Resources Santa Cruz Active Management Area, Third Management Plan Tucson Active Management Area, Third Management Plan

Purple denotes TNW segments

Study Reach A: Tubac Gage Station downstream to Continental Gage Station

Study Reach B: Roger Road WWTP downstream to Pima/Pinal County line

Santa Cruz River Study Reach A Tubac Gage to Continental Gage CORONACO TIANONAL " , Continental



Santa Cruz River -- Study Reach B Roger Road WWTP to Pima/Pinal County Line

### EXHIBIT B HISTORICAL PHOTO



Santa Cruz River in 1904

### EXHIBIT C FLOW DATA


Monthly, Daily, and Peak flow data retrieved April 1, 2008 from: <a href="http://nwis.waterdata.usgs.gov/az/nwis/monthly">http://nwis.waterdata.usgs.gov/az/nwis/monthly</a>

http://nwis.waterdata.usgs.gov/az/nwis/dvstat

http://nwis.wateradata.usgs.gov/az/nwis/peak

Hydrographs retrieved March 28, 2008 and May 23, 2008 from:


http://www.nws.noaa.gov/oh/ahps/



### **USGS Monthly Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, <u>click here</u>.

USGS 09481740 SANTA CRUZ RIVER AT TUBAC, AZ.



		1	00060	), Disc	charge	, cubic	feet pe	r seco	nd,			
YEAR	Mon	thly n	nean i	n cfs	(Calc	ulation	Period	: 1995	-10-0	1 -> 20	07-09-	30)
ILMI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1995								·		11.6	25.5	24.3
1996	24.2	25.3	22.6	12.5	4.72	3.62	17.1	22.1	15.1	8.99	14.7	17.
1997	24.3	27.9	16.9	8.73	3.17	0.947	2.24	32.8	30.5	15.1	8.57	23.8
1998	28.3	67.7	45.4	46.3	20.7	12.6	62.8	46.7	27.1	18.0	19.1	21.3
1999	23.8	23.5	19.7	14.2	7.55	3.78	48.2	58.9	69.1	28.0	28.0	18.9
2000	23.6	25.0	24.8	20.1	10.0	22.4	23.4	29.0	19.2	798.4	277.9	91.1
2001	77.5	51.6	42.6	68.7	29.2	6.55	17.5	32.6	13.3	18.3	17.6	,

2002	25.9	27.6	22.9	15.4	3.15		[	39.3	14.3	2.89	14.6	16.1
2003	14.6	19.0	16.0	9.73	3.23	0.117	31.0	60.9	13.3	9.40	18.6	18.1
2004	23.2	19.9	14.6	25.5	6.82	7.68	37.2	30.0	9.93	9.61	13.0	17.7
2005	14.7	14.3	14.6	11.4	8.55	8.36	102.8	211.5	3.62	5.50	10.8	12.5
2006	11.8	11.0	12.1	8.19	5.33	3.26	124.1	35.2	52.8	9.55	14.4	16.7
2007	14.8	16.9	15.5	11.6	8.07	6.26	110.9	116.1	23.8			
Mean of monthly Discharge	26	27	22	21	9.2	6.9	52	60	24	78	39	25

Questions about sites/data? Feedback on this web site

Top
Explanation of terms
Subscribe to NWISWeb notifications

### **Automated retrievals**

### Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Surface Water data for Arizona: USGS Monthly Statistics


\*\* No Incomplete data have been used for statistical calculation

URL: http://waterdata.usgs.gov/az/nwis/monthly?

Page Contact Information: <u>NWISWeb Support Team</u> Page Last Modified: 2008-04-01 17:10:57 EDT

2.29 2.08 nadww01





### **USGS Monthly Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, <u>click here</u>.

USGS 09481770 SANTA CRUZ NR AMADO, AZ

Available data for this site

Time-series: Monthly statistics

Go

Output formats

HTML table of all data

Tab-separated data

Reselect output

format

		0	0060,	Discha	rge, cı	ubic fe	et pe	r secor	nd,			And the Control of Science Community Control of
YEAR	Mon	thly m	ean in	cfs (	Calcula	tion P	eriod	2003	-10-01	> 20	07-09	-30)
ILAN	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003										0.000	0.078	2.64
2004	5.25	7.97	6.64	4.21	0.532	0.000	16.2	19.1	8.77	3.87	6.58	13.1
2005	19.2	17.5	12.0	4.42	4.73	3.90	32.0	112.0	0.000	0.000	0.000	0.000
2006	0.000	0.000	0.000	0.071	0.001	0.024	70.6	46.4	31.7	0.000	0.028	1.74
2007	4.37	8.39	8.75	7.54	1.31	0.098	96.4	89.9	16.0			
Mean of monthly Discharge	7.2	8.5	6.8	4.1	1.6	1.0	54	67	14	0.97	1.7	4.4

\*\* No Incomplete data have been used for statistical calculation

### Questions about sites/data? Feedback on this web site

Explanation of terms
Subscribe to NWISWeb notifications

### **Automated retrievals**

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Surface Water data for Arizona: USGS Monthly Statistics


URL: http://waterdata.usgs.gov/az/nwis/monthly?

Page Contact Information: <u>Arizona NWISWeb Maintainer</u>

Page Last Modified: 2008-05-28 14:47:21 EDT

1.77 1.62 nadww01






### **USGS Monthly Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, <u>click here</u>.

### USGS 09482000 SANTA CRUZ RIVER AT CONTINENTAL, AZ



		0	0060,	Discha	arge, c	ubic fe	et per	secon	d,			
YEAR	Mon	thly m	ean in	cfs (	Calcul	ation F	Period:	1940-	05-01	-> 20	07-09	-30)
ILAN	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1940	<del></del>				0.000	3.43	9.84	164.0	29.3	0.003	0.000	0.452
1941	2.67	0.393	0.000	0.000	0.000	0.000	16.0	11.0	2.17	0.065	0.000	0.000
1942	0.000	0.000	0.000	0.000	0.000	0.000	18.6	29.8	9.73	0.000	0.000	0.000
1943	0.000	0.000	0.000	0.000	0.000	4.17	31.0	126.1	3.93	0.000	0.000	0.000
1944	0.000	0.000	0.000	0.000	0.000	0.000	0.129	62.4	3.87	8.13	0.067	0.000
1945	0.000	0.000	0.000	0.000	0.000	0.000	67.8	179.5	15.3	14.0	0.000	0.000
1946	0.000	0.000	0.000	0.000	0.000	0.000	79.0	70.4	39.8	•	•	r

1951	,									7 32	0 000	0.000
1952	0.000	0.000	0.000	0.000	0.000	0.000	9.02	26.7	10.4			0.000
1953		0.018	<u> </u>	,					·			) <u></u>
1954		0.000	, <del></del>	0.000	······································	2.43	226.6	·	37.7			0.000
1955	. <u></u>	0.000	<u>,                                      </u>	J	<u> </u>	)		· · · · · · · · · · · · · · · · · · ·		,		0.000
1956	·	0.000	)	) ,	l	·		,				0.000
1957	1	0.000	ļ	 	) 	;	4.66	·		1	!	0.000
1958	•	0.000	,	[		· · · · · · · · · · · · · · · · · · ·	48.0	164.0	·	· · · · · · · · · · · · · · · · · · ·		0.000
1959	· <del>} </del>	0.000	<u> </u>	<u> </u>	<u> </u>	1.93	10.1	[	0.013		!	2.34
1960		0.000	<u>,</u>	<u> </u>	,	)	1	22.9	10.4		)	0.000
1961	0.000	0.000	0.000	0.000	0.000	0.000	15.6	53.6	23.5		}	42.8
1962	52.4	0.000	0.000	0.000	0.000	0.000	0.810	0.616	4.84	0.000	0.000	0.000
1963	0.000	0.000	0.000	0.000	0.000	0.000	71.4	122.4	29.9	0.000	4.37	0.000
1964	0.000	0.000	0.003	0.003	0.000	0.000	17.0	188.3	284.9	0.000	0.000	0.000
1965	0.000	0.000	0.000	0.000	0.000	0.000	0.203	0.639	2.30	0.000	0.000	421.5
1966	18.2	206.5	0.000	0.000	0.000	0.000	43.5	362.7	14.9	1.00	0.000	0.000
1967	0.000	0.000	0.000	0.000	0.000	0.450	44.3	6.47	4.70	0.874	0.000	658.1
1968	0.732	2.61	18.0	0.000	0.000	0.000	3.22	0.645	0.000	0.000	0.000	0.000
1969	0.000	0.000	0.000	0.000	0.000	0.000	6.87	36.4	4.95	0.174	0.000	0.100
1970	0.042	0.304	0.000	0.000	0.000	0.000	10.0	22.5	27.8	0.126	0.000	0.000
1971	0.000	0.000	0.000	0.000	0.000	0.000	8.76	175.6	21.7	2.27	0.000	0.010
1972	0.000	0.000	·	<u> </u>	<u>'</u>	]	]	3.03	1.99	,	,	0.000
1973	0.000	·	, 	<u>`</u>	<u> </u>		1	0.000	0.000	0.000	0.000	0.000
1974	,	0.000		1	<u>'</u>	<u>'</u>	1	34.2	12.7	0.000	0.000	0.000
1975	 	0.000		,	į	1	<u>'</u>	8.32	, <del>, , , , , , , , , , , , , , , , , , </del>		1	0.000
1976	<u> </u>	0.000		1		<u> </u>	·	· <del>} </del>	,	, , , , , , , , , , , , , , , , , , ,	1	0.039
1977	· <del>'</del>	0.000			}	}	21.5	· <del>}</del>	·	· <u> </u>	1	0.000
1978	6.23	<u></u>	131.7	<u>'</u>		1	1		0.030	· <del>[</del>	1	529.4
1979	565.2	1	1	)	is .	0.000	<u>,                                      </u>	·	· ,		Ĭ	0.000
1980		0.655			1	1	·	28.9	· <del>}</del>			0.000
1981	0.000	1		,	·	0.027	·	·	· <del>[</del>	. <del>[</del>	· <del> </del>	0.000
1982	·	0.000	[	1	]	·	1	. <del>,</del>	·	· <del>[</del>	0.160	
1983	· <del>  </del>	137.9	<u></u>	<u>,</u>	<u></u>	<u> </u>	,	-	. <u>[</u>	.'	4.20	4.84
1984	27.6	1.00	μ.002	10.028	JU.013	0.000	96.6	668.2	107.7		10.000	TA = = =
1991	0.000	0.000				0.000			0 0==		·	0.000
1992	Jo.000	טטט.טן	3/.1	31.5	1.32	0.000	1.13	/4./	J0.0/3	0.000	0.000	2.78

1,386	52.4	0.168	0.000	0.000	0.000	0.000	7.02	0.000	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	0.000	4.94	6.83	0.000	5.00	77.0
37.1	11.2	0.000	0.000	0.000	0.000	0.014	0.781	0.153	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	5.52	1.55	13.8	0.710	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	0.189	6.02	3.00	2.27	0.000	2.47
0.000	18.8	1.88	3.13	0.000	0.000	20.3	3.49	7.48	0.094	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	17.0	17.3	10.7	0.000	0.000	0.000
0.000	0.013	0.903	0.000	0.000	5.27	3,66	16.8	0.000	266.8	129.2	0.000
0.000	0.000	0.000	0.840	0.000	0.020	1.36	0.174	0.050	0.000	0.000	0.000
,	•	7	;			0.427	2.14	3.81	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	16.8	5.78	0.119	0.000	0.003	0.000
0.000	0.000	0.000	0.016	0.000	0.000	7.89	8.46	1.67	0.000	0.000	0.000
0.115	1.40	3.22	0.903	0.153	0.000	14.0	100.8	0.000	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	39.0	24.3	27.5	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000	0.000	49.8	38.0	4.47	-	•	-
42	11	9.5	0.68	0.03	0.43	29	76	18	48	5.0	32
	0.000 37.1 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.115 0.000	0.000       0.000         37.1       11.2         0.000       0.000         0.000       0.000         0.000       0.000         0.000       0.013         0.000       0.000         0.000       0.000         0.000       0.000         0.115       1.40         0.000       0.000         0.000       0.000         0.000       0.000	0.000       0.000       0.000         37.1       11.2       0.000         0.000       0.000       0.000         0.000       0.000       0.000         0.000       18.8       1.88         0.000       0.000       0.000         0.000       0.013       0.903         0.000       0.000       0.000         0.000       0.000       0.000         0.000       0.000       0.000         0.115       1.40       3.22         0.000       0.000       0.000         0.000       0.000       0.000         0.000       0.000       0.000	0.000         0.000         0.000         0.000           37.1         11.2         0.000         0.000           0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000           0.000         18.8         1.88         3.13           0.000         0.000         0.000         0.000           0.000         0.013         0.903         0.000           0.000         0.000         0.000         0.840           0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.016           0.115         1.40         3.22         0.903           0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000	0.000         0.000         0.000         0.000         0.000           37.1         11.2         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000           0.000         18.8         1.88         3.13         0.000           0.000         0.000         0.000         0.000         0.000           0.000         0.013         0.903         0.000         0.000           0.000         0.000         0.000         0.840         0.000           0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.016         0.000           0.115         1.40         3.22         0.903         0.153           0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000	0.000         0.000         0.000         0.000         0.000         0.000         0.000           37.1         11.2         0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000         0.000           0.000         18.8         1.88         3.13         0.000         0.000           0.000         0.000         0.000         0.000         0.000         0.000           0.000         0.013         0.903         0.000         0.000         0.020           0.000         0.000         0.000         0.000         0.000         0.020           0.000         0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000         0.000           0.115         1.40         3.22         0.903         0.153         0.000           0.000         0.000         0.000         0.000         0.000         0.000           0.000         0.000         0.000         0.000         0.000 <th>0.000         <td< th=""><th>  0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.000   0.000   0.000   0.000   0.000   0.000   0.000   5.52   1.55   0.000   0.000   0.000   0.000   0.000   0.000   0.189   6.02   0.000   0.</th><th>0.000         0.000         0.000         0.000         0.000         0.000         4.94         6.83           37.1         11.2         0.000         0.000         0.000         0.014         0.781         0.153           0.000         0.000         0.000         0.000         0.000         0.000         5.52         1.55         13.8           0.000         0.000         0.000         0.000         0.000         0.000         0.189         6.02         3.00           0.000         18.8         1.88         3.13         0.000         0.000         20.3         3.49         7.48           0.000         0.000         0.000         0.000         0.000         17.0         17.3         10.7           0.000         0.001         0.000         0.000         0.000         17.0         17.3         10.7           0.000         0.013         0.903         0.000         0.000         5.27         3.66         16.8         0.000           0.000         0.000         0.000         0.000         0.020         1.36         0.174         0.050           0.000         0.000         0.000         0.000         0.000         16.8</th><th>  0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   6.83   0.000   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.153   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.552   1.55   13.8   0.710   0.000   0.000   0.000   0.000   0.000   0.189   6.02   3.00   2.27   0.000   18.8   1.88   3.13   0.000   0.000   0.000   20.3   3.49   7.48   0.094   0.000   0.000   0.000   0.000   0.000   0.000   17.0   17.3   10.7   0.000   0.000   0.013   0.903   0.000   0.000   0.020   1.36   0.174   0.050   0.000   0.000   0.000   0.000   0.000   0.000   0.020   1.36   0.174   0.050   0.000  </th><th>  0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   6.83   0.000   5.00   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.153   0.000   0.189   6.02   3.00   2.27   0.000   0.00</th></td<></th>	0.000         0.000 <td< th=""><th>  0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.000   0.000   0.000   0.000   0.000   0.000   0.000   5.52   1.55   0.000   0.000   0.000   0.000   0.000   0.000   0.189   6.02   0.000   0.</th><th>0.000         0.000         0.000         0.000         0.000         0.000         4.94         6.83           37.1         11.2         0.000         0.000         0.000         0.014         0.781         0.153           0.000         0.000         0.000         0.000         0.000         0.000         5.52         1.55         13.8           0.000         0.000         0.000         0.000         0.000         0.000         0.189         6.02         3.00           0.000         18.8         1.88         3.13         0.000         0.000         20.3         3.49         7.48           0.000         0.000         0.000         0.000         0.000         17.0         17.3         10.7           0.000         0.001         0.000         0.000         0.000         17.0         17.3         10.7           0.000         0.013         0.903         0.000         0.000         5.27         3.66         16.8         0.000           0.000         0.000         0.000         0.000         0.020         1.36         0.174         0.050           0.000         0.000         0.000         0.000         0.000         16.8</th><th>  0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   6.83   0.000   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.153   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.552   1.55   13.8   0.710   0.000   0.000   0.000   0.000   0.000   0.189   6.02   3.00   2.27   0.000   18.8   1.88   3.13   0.000   0.000   0.000   20.3   3.49   7.48   0.094   0.000   0.000   0.000   0.000   0.000   0.000   17.0   17.3   10.7   0.000   0.000   0.013   0.903   0.000   0.000   0.020   1.36   0.174   0.050   0.000   0.000   0.000   0.000   0.000   0.000   0.020   1.36   0.174   0.050   0.000  </th><th>  0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   6.83   0.000   5.00   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.153   0.000   0.189   6.02   3.00   2.27   0.000   0.00</th></td<>	0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.000   0.000   0.000   0.000   0.000   0.000   0.000   5.52   1.55   0.000   0.000   0.000   0.000   0.000   0.000   0.189   6.02   0.000   0.	0.000         0.000         0.000         0.000         0.000         0.000         4.94         6.83           37.1         11.2         0.000         0.000         0.000         0.014         0.781         0.153           0.000         0.000         0.000         0.000         0.000         0.000         5.52         1.55         13.8           0.000         0.000         0.000         0.000         0.000         0.000         0.189         6.02         3.00           0.000         18.8         1.88         3.13         0.000         0.000         20.3         3.49         7.48           0.000         0.000         0.000         0.000         0.000         17.0         17.3         10.7           0.000         0.001         0.000         0.000         0.000         17.0         17.3         10.7           0.000         0.013         0.903         0.000         0.000         5.27         3.66         16.8         0.000           0.000         0.000         0.000         0.000         0.020         1.36         0.174         0.050           0.000         0.000         0.000         0.000         0.000         16.8	0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   6.83   0.000   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.153   0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.552   1.55   13.8   0.710   0.000   0.000   0.000   0.000   0.000   0.189   6.02   3.00   2.27   0.000   18.8   1.88   3.13   0.000   0.000   0.000   20.3   3.49   7.48   0.094   0.000   0.000   0.000   0.000   0.000   0.000   17.0   17.3   10.7   0.000   0.000   0.013   0.903   0.000   0.000   0.020   1.36   0.174   0.050   0.000   0.000   0.000   0.000   0.000   0.000   0.020   1.36   0.174   0.050   0.000	0.000   0.000   0.000   0.000   0.000   0.000   0.000   0.000   4.94   6.83   0.000   5.00   37.1   11.2   0.000   0.000   0.000   0.000   0.014   0.781   0.153   0.000   0.189   6.02   3.00   2.27   0.000   0.00

\*\* No Incomplete data have been used for statistical calculation

**Questions about sites/data? Feedback on this web site** 

<u>Top</u>
<u>Explanation of terms</u>
<u>Subscribe to NWISWeb</u> notifications

### **Automated retrievals**

### Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Surface Water data for Arizona: USGS Monthly Statistics


URL: http://waterdata.usgs.gov/az/nwis/monthly?

Page Contact Information: Arizona NWISWeb Maintainer

Page Last Modified: 2008-05-28 14:49:18 EDT

4.78 4.51 nadww01





## **USGS Surface-Water Daily Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, click here.

USGS 09481740 SANTA CRUZ RIVER AT TUBAC, AZ.

Available data for this site Time-series: Daily statistics	Daily statistics
Output formats	Output formats
Santa Cruz County, Arizona	HTML table of all data
Hydrologic Unit Code 15050301 l atitude 31°36'46". Longitude 111°02'27" NAD27	Tab-separated data
Gage datum 3,180 feet above sea level NGVD29	Reselect output
	format

				9000	060, Discha	ırge, cubic	0, Discharge, cubic feet per second,	cond,				
Day of	1	daily mean	Mean of daily mean values for each day for	each day		years of re	11 - 12 years of record in, cfs (Calculation Period 1995-10-01 -> 2007-09-30)	(Calcula	tion Perioc	11995-10	-01 -> 200	(-08-30)
month	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Ħ	35	25	26	26	13	5.5	5.7	136	09	13	40	28
2	22	25	24	27	13	5.1	16	171	16	28	37	27
8	23	24	23	54	13	5.3	20	113	15	11	27	27
4	25	37	23	21	12	5.3	23	37	13	11	42	26
2	24	28	24	19	12	5.2	21	24	20	11	106	27
9	26	23	23	40	11	5.2	25	45	52	12	09	28
7	28	23	31	50	11	5.0	29	41	37	13	123	28

1								-	1			
<b>∞</b>	24	23	27	28	11	4.8	48	28	39	12]	70	
6	24	23	23	22	10	4.5	8.7	35	33	26	47	24
10	24	24	23	19	10	4.7	7.7	46	25	15	31	24
11	24	24	23	19	9.7	4.8	7.0	21	32	28	47	24
12	25	27	24	18	9.6	4.8	7.6	40	38	167	09	23
13	27	25	22	18	9.3	4.9	9.9	20	34	52	43	23
14	26	24	21	18	9.0	4.7	11	211	33	11	32	23
15	25	25	23	18	8.5	4.7	15	129	18	9.8	26	23
16	25	26	21	17	8.4	4.7	18	35	24	10	24	25
17	26	25	21	17	9.0	4.6	10	26	34	9.6	23	25
18	26	34	22	17	8.7	10	26	34	13	11	22	24
19	26	35	21	17	8.5	12	42	58	20	11	22	24
20	25	28	23	17	7.9	5.2	44	23	35	125	23	25
21	27	40	20	16	7.8	7.0	31	15	15	73	22	24
22	26	38	20	16	7.6	7.7	117	21	14	245	22	32
23	24	29	20	16	7.6	9.6	91	121	14	637	24	27
24	24	27	19	16	7.2	8.4	42	52	17	156	23	25
25	24	27	19	15	6.6	7.8	136	31	14	98	24	27
26	24	29	20	15	6.8	4.8	57	31	14	65	24	25
27	27	26	19	15	9.9	4.9	77	20	13	09	27	25
28	29	27	18	14	6.4	4.9	112	20	15	144	28	26
29	26	24	18	14	12	8.6	172	75	13	140	30	25
30	26		22	14	6.1	15	70	77	Ħ	112	59	24
31	25		28		5.5		227	19		110		24

Questions about sites/data? Feedback on this web site

Explanation of terms Subscribe to NWISWeb notifications

Automated retrievals


Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey
Title: Surface Water data for Arizona: USGS Surface-Water Daily Statistics
URL: http://waterdata.usgs.gov/az/nwis/dvstat?

Page Contact Information: NWISWeb Support Team

Page Last Modified: 2008-04-01 17:12:18 EDT





# **USGS Surface-Water Daily Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, click here.

### **USGS 09481770 SANTA CRUZ NR AMADO, AZ**

				ŏ	3060, Disch	narge, cubi	00060, Discharge, cubic feet per second,	cond,				
Day of	1	daily mea	in values f	or each da	1y for 4 - 4	years of re	Mean of daily mean values for each day for 4 - 4 years of record in, cfs (Calculation Period 2003-10-01 -> 2007-09-30)	(Calculat	ion Period	2003-10-0	1 -> 2007	-06-30)
month	Jan	Feb	Mar	Apr	May	Jun	Jnc	Aug	Sep	Oct	Nov	Dec
1	6.4	9.9	8.5	4.6	3.0		0.97	151	1.8	1.2	1.4	4.0
2	4.7	9.9	8.9	5.9	3.0	0.99	1.1	492	1.8	1.3	1.6	3.6
က	0.9	6.9	9.3	15	2.6	0.56	0.95	135	2.6	1.1	1.4	2.4
4	9.6	6.9	9.7	5.8	2.7	0.94	5.2	47	3.9	0.85	1.2	2.5
2	TT	7.4	9.0	5.2	2.2	1.0	2.4	21	13	08.0	1.2	4,4
9	6.9	7.8	9.3	4.2	2.1	0.93	1.3	35	48	06.0	1.3	6.4
7	6.5	7.9	9.8	3.6	2.3	96.0	0.79	25	53	0.97	1.2	7.9

file:IIICJ/Documents#20and#20Settings#11corneb/My#20Documents/TNWs/Santa#20Cnz/Amado#20Daily.htm (1 of 3)s/29/2008 11:03:05 AM

		THE PERSON NAMED IN COLUMN										
ø	6.9	8.4	8.1	3.2	2.3	0.93	1.5	104	47	0.95	1.2	3.8
6	6.4	8.4	7.6	3.2	2.1	0.82	4.3	159	17	0.85	1.3	3.3
10	6.5	9.5	7.5	3.3	2.0	0.83	5.3	13	17	0.70	1.2	3.1
11	6'9	9.3	7.1	3.4	1.9	0.88	0.71	16	3.6	09'0	1.1	3.1
12	7.3	14	6.8	3.3	1.9	0.93	0.70	31	3.5	0.65	1.2	3.1
13	7.4	13	7.2	3.4	1.9	0.81	0.88	64	64	0.65	1.2	2.7
14	6.8	8.0	7.6	3.5	1.5	0.97	0.99	117	5.9	0.75	1.3	2.8
15	9.9	8.1	7.2	3.1	1.4	0.85	11	95	2.6	0.72	1.2	2.8
16	6.9	8.1	6.7	2.7	1.2	08.0	38	34	34	0.75	1.4	3.1
17	9.9	8.3	6.6	2.9	1.2	0.75	2.3	12		0.72	1.6	3.6
18	6.4	8.4	9.9	2.8	1.2	06'0	1.0	1.7	24	0.78	1.8	3.8
19	7.3	8.1	6.3	2.9	1.2	06.0	175	3.9	0.28	06'0	1.9	3.9
20	8.1	9.3	6.7	3.3	0.95	08.0	77	5.9	09.0	1.0	2.0	4.1
21	7.9	8.7	6.1	3.6	1.1	0.95	19	1.3	1.5	1.0	1.8	4.5
22	13	9.3	6.2	3.3	08.0	0.95	16	5.2	0.80	1.2	1.6	4.9
23	7.4	8,4	6.0	3.5	09.0	06.0	22	356	06.0	1.1	1.9	5.4
24	6.3	8.6	5.7	3.8	0.70	1.7	20	24	1:1	1.1	2.0	5.5
25	6.5	8.2	5.1	4.7	08.0	2.2	272	70	1.0	0.95	2.3	5.7
26	6,2	7.8	4.8	4.0	06.0	1.5	48	31	1.0	1.1	2.5	4.8
27	8.6	7.8	4.3	3.6	1.0	1.3	69	5.5	1.1	1.1	2.4	5.3
28	6.7	8.0	4.2	3.4	1.3	7.7	131	3.1	1.2	1.2	2.2	5.7
29	6.4	7.1	4.3	3.4	2.1	1.0	350	9.2	1.4	1.3	2.1	6.4
30	6.2		4.7	3.2	1.8	0.95	117	3.0	2.9	1,4	3.7	7.4
21	6.0		4.7		1.2		243	2.0		1,3		5.6

Questions about sites/data? Feedback on this web site

Automated retrievals

Accessibility FOIA Privacy Policies and Notices

Title: Surface Water data for Arizona: USGS Surface-Water Daily Statistics URL: http://waterdata.usgs.gov/az/nwis/dvstat? U.S. Department of the Interior | U.S. Geological Survey

Page Contact Information: Arizona NWISWeb Maintainer




Top

Explanation of terms

Subscribe to NWISWeb notifications

Page Last Modified: 2008-05-28 14:52:09 EDT 1.72 1.51 nadww01




## **USGS Surface-Water Daily Statistics for Arizona**

official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in may not match, click here.

### USGS 09482000 SANTA CRUZ RIVER AT CONTINENTAL, AZ

				9000		, Discharge, cubic feet per second,	eet per se	cond,				
Day of	1	daily mean	Mean of daily mean values for each day for	each day fo		rears of rec	ord in, cfs	: (Calcul	ation Perio	d 1939-10	55 - 56 years of record in, cfs (Calculation Period 1939-10-01 -> 2007-09-30)	(08-60-
month	Jan	Feb	Mar	Apr	May	Jun	Jac	Aug	Sep	Oct	Nov	Dec
T	26	2.6	6.3	1.3	0.01	00.0	4.2	104	25	124	1.3	0.21
2	13	2.1	20	1.1	0.01	0.02	2.6	81	38	326	0.23	0.05
m	4.4	2.0	14	5.6	0.01	00.0	2.1	52	20	136	0.07	0.24
4	2.4	44	51	4.5	0.01	00.00	6.1	57	22	71	0.07	60.0
ß	2.4	21	38	3.3	0.03	00.0	5.1	140	23	58	2.8	0.29
9	11	16	13	2.6	0.01	00.0	6.1	9	12	54	4.3	22
7	15	9.0	9.6	1.2	0.01	00'0	6.3	103	7.6	44	21	15



### **Peak Streamflow for Arizona**

Available data for this site

USGS 09481770 SANTA CRUZ NR AMADO, AZ

Pima County, Arizona Hydrologic Unit Code 15050301 Latitude 31°44'41", Longitude 111°02'11" NAD83

Gage datum 3,040 feet above sea level NAVD88

### **Output formats**

Table

Surface-water: Peak streamflow


Graph

Tab-separated file

WATSTORE formatted

file

Reselect output format



**Questions about sites/data?** Feedback on this web site

Top
Explanation of terms
Subscribe to NWISWeb notifications

### **Automated retrievals**

### Accessibility FOIA Privacy Policies and Notices

<u>U.S. Department of the Interior</u> | <u>U.S. Geological Survey</u> **Title: Surface Water for Arizona: Peak Streamflow** 

URL: http://waterdata.usgs.gov/az/nwis/peak?

Page Contact Information: <u>Arizona NWISWeb Maintainer</u>

Page Last Modified: 2008-05-28 14:57:20 EDT

1.89 1.84 nadww01



9 4 10 2 11 9			 1 1	- - - - - - - - - - - - - - - - - - -	00.0	y. 0.0	44	10	TOOT	L3	1.1
	49 7/	4.8	0.05	0.01	0.00	3.7	63	22	267	6.3	0.33
	28 18	4.1	0.04	00'0	0.00	5.1	78	131	95	4.5	7.1
	90 16	8.4	0.04	00.0	0.00	13	85	34	14	4.3	15
	88 20	0.71	0.04	0.00	0.00	20	42	41	15	5.4	1.7
13	37 15	7.7	0.04	00.0	0.00	18	129	20	11	6.1	0.23
<b>14</b> 3	31 11	33	0.03	0.01	0.00	19	199	9.6	1.9	2.5	0.04
15 2	21 15	26	0.02	0.00	0.00	21	66	3.2	1.4	1.6	21
16 1	16 12	10	0.02	0.00	0.00	41	84	6.3	0.91	0.87	34
<b>17</b> 1	15 6.4	5.8	0.01	00.0	0.00	20	62	2.6	0.79	0.42	43
<b>18</b> 229	3.7	2.5	0.01	00.0	0.00	28	62	2.6	0.91	0.17	100
<b>19</b> 29	3.7	1.0	0.02	0.00	0.00	22	120	3.2	4.0	0.05	247
<b>20</b> 2	21 2.2	0.87	0.01	0.18	0.46	53	104	3.2	2.7	0.05	200
21 1	11 4.1	4.5	0,01	0.55	0.45	32	129	2.8	19	2.8	34
22 8.	8.7 24	2.1	0.01	00.0	0.47	49	40	9.1	7.0	0.24	52
23 5.	5.0 9.4	1.1	0.01	00.0	2.0	87	101	4.3	65	0.09	103
24 4.	4.3 1.3	4.0	0.01	00.00	0.23	29	81	17	21	9.5	36
25 10	102 0.52	0.89	0.01	00.0	0.49	43	42	6.4	10	52	1
26 6	63 0.23	0.30	0.01	00.00	1.3	16	54	18	5.9	8.1	3.7
27 3	34 0.09	0.28	0.01	00.00	0.00	55	43	2.8	3.8	1.0	3.0
28 1	11 0.07	2.0	0.01	00.0	3.2	70	48	0.96	7.8	0.05	2.6
29 4.7	0.00	8.4	0.01	0.00	2.5	74	36	3.6	10	0.06	1.3
3.8	8.	4.3	0.01	00.00	1.7	64	10	27	7.4	0.14	1.6
<b>31</b> 3.0	0.	2.2		00.0		61	6.8		2.7		36

Questions about sites/data? Feedback on this web site

Automated retrievals

Accessibility FOIA Privacy Policies and Notices


U.S. Department of the Interior | U.S. Geological Survey Title: Surface Water data for Arizona: USGS Surface-Water Daily Statistics URL: http://waterdata.usgs.gov/az/nwis/dvstat?

Page Contact Information: Arizona NWISWeb Maintainer Page Last Modified: 2008-05-28 14:53:03 EDT

Top

Explanation of terms

Subscribe to NWISWeb notifications




### Peak Streamflow for Arizona USGS 09482000 SANTA CRUZ RIVER AT CONTINENTAL, AZ

Available data for this site Surface-water: Peak streamflow GO

Pima County, Arizona Hydrologic Unit Code 15050301 Latitude 31°52'17", Longitude 110°58'46" NAD27 Drainage area 1,682.00 square miles Gage datum 2,819.82 feet above sea level NGVD29

### Output formats Table Graph Tab-separated file WATSTORE formatted file Reselect output format



**Questions about sites/data?** Feedback on this web site

Top
Explanation of terms
Subscribe to NWISWeb notifications

**Automated retrievals** 

### Accessibility FOIA Privacy Policies and Notices


<u>U.S. Department of the Interior</u> | <u>U.S. Geological Survey</u> **Title: Surface Water for Arizona: Peak Streamflow URL: http://waterdata.usgs.gov/az/nwis/peak?** 

Page Contact Information: Arizona NWISWeb Maintainer

Page Last Modified: 2008-05-28 14:58:07 EDT

2.23 1.86 nadww01





# **USGS Monthly Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, <u>click here</u>.

### USGS 09486500 SANTA CRUZ RIVER AT CORTARO, AZ

Pima County, Arizona
Hydrologic Unit Code 15050302
Latitude 32°21'04", Longitude 111°05'38" NAD27
Drainage area 3,503.00 square miles
Gage datum 2,100.00 feet above sea level NGVD29

Time-series: Monthly statistics

Output formats

HTML table of all data

Tab-separated data

Reselect output
format

		0	0060,	Discha	arge, c	ubic fe	et per	secon	d,			
YEAR	Mon	thly m	ean in	cfs (	Calcula	ation P	eriod:	1939-	10-01	-> 20	07-09	-30)
ILAN	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1939	<del></del>									0.000	0.767	0.03
1940	0.677	11.9	0.000	0.000	0.000	10.2	24.2	264.5	18.9	0.000	11.7	169.3
1941	37.6	40.0	43.2	0.000	0.226	0.000	9.74	55.5	36.1	0.097	0.033	4.4!
1942	1.13	4.64	2.45	0.867	0.000	0.000	8.25	24.6	15.8	0.000	0.000	0.000
1943	0.000	0.000	6.71	0.000	0.032	1.77	26.1	165.1	89.0	0.023	0.063	0.000
1944	0.003	0.000	0.000	0.000	0.000	0.000	14.8	179.4	39.8	6.32	6.20	0.032
1945	0.000	0.000	0.194	0.000	0.000	0.000	97.6	279.8	2,43	7.48	0.000	0.000

1046		0.000	0.000	0.000	0.000	0.000	60 =	450 3	44 4	20 7	4 00	
1946	_'	<u>'</u>		0.000		' '	62.5	158./	41.1	39./	1.23	0.000
1947	10.000	0.000	0.000	0.000	0.000	0.000	,					
1950				<del></del> :	<del></del>			31.0				0.000
1951	- <del> </del>	<u> </u>	0.171	;		1.31	70.7	111.6	1.83	28.0	15.9	12.7
1952	26.7	0.000	26.7	!		0.030	17.6	72.4		0.000		0.000
1953	-}	0.054	<u> </u>	0.000			230.9	2.76	0.000	0.000	0.000	0.000
1954	0.000	0.000	)	0.000	·	}	393.3	)	72.1	3.91	0.000	0.000
1955	0.894	0.000	0.000	0.000	0.000	0.067	222.4	867.6	1.11	2.23	0.000	0.000
1956	1.77	0.000	0.000	0.000	0.000	0.000	23.4	3.14	0.000	0.000	0.000	0.000
1957	27.1	0.575	0.000	0.000	0.000	0.043	5.39	30.5	15.3	8.15	3.23	0.032
1958	0.000	5.92	62.4	0.130	0.000	0.000	109.0	132.9	13.4	2.13	0.140	0.000
1959	0.000	0.000	0.000	0.000	0.000	0.000	62.3	157.4	1.37	12.2	0.400	32.4
1960	245.2	0.162	0.000	0.000	0.000	0.000	1.69	72.3	6.33	24.1	0.000	1.65
1961	3.97	0.000	0.000	0.000	0.000	0.000	35.1	216.1	8.63	0.000	0.000	45.0
1962	45.7	0.000	0.000	0.000	0.000	0.833	2.17	1.97	115.3	0.161	0.000	0.174
1963	0.548	33.4	0.000	0.133	0.000	0.000	66.4	195.0	38.3	0.765	6.73	0.000
1964	0.000	0.000	0.000	0.433	0.000	2.60	108.2	164.8	358.3	0.845	0.167	6.06
1965	4.13	4.83	0.000	0.000	0.000	0.000	16.2	2.25	3.10	0.000	0.000	850.1
1966	0.594	191.5	0.000	0.000	0.000	0.000	35.8	210.9	87.4	1.44	0.053	0.000
1967	0.000	0.000	0.100	0.000	2.06	0.000	124.4	5.45	1.43	14.3	0.000	688.2
1968	0.000	83.0	38.4	0.000	0.000	0.000	1.94	43.3	0.000	0.000	2.77	0.000
1969	0.000	0.000	0.000	0.000	0.000	0.000	7.11	70.2	15.4	25.9	33.1	23.6
1970	6.82	6.45	8.28	7.30	5.11	31.9	116.1	39.0	135.2	16.9	13.1	31.2
1971	41.4	25.1	40.2	51.5	27.1	34.4	67.5	325.5	75.8	29.0	18.9	34.5
1972	27.2	25.8	20.2	13.6	21.3	28.3	72.9	62.4	31.2	236.0	12.9	9.83
1973	17.9	169.8	175.6	7.88	16.2	3.16	30.5	35.5	48.4	41.7	35.0	35.5
1974	41.2	40.2	41.8	40.3	48.0	44.4	181.9	84.7	76.5	53.0	61.1	56.9
1975	64.4	51.6	42.4	39.4	39.6	42.1	126.1	55.6	91.7	44.2	45.0	41.2
1976	38.8	40.1	35.5	45.2	45.1	42.8	152.2	70.2	130.7	42.4	39.7	33.2
1977	42.8	40.8	32.3	37.1	32.7	34.0	36.2	65.9	73.0	743.9	31.1	50.6
1978	114.2	114.4	496.3	20.0	18.5	15.8	34.9	117.7	16.3	34.0	168.2	1,044
1979	756.4	104.2	35.2	31.2	31.1	30.1	32.8	47.8	31.0	40.2	54.7	59.9
1980	64.1	137.9	26.4	19.4	11.9	17.3	45.7	87.4	71.9	38.7	38.4	51.3
1981	63.3	58.0	52.1	35.9	41.4	43.0	241.8	104.6	104.1	50.4	59.6	48.9
1982	70.0	65.1	56.4	52.5	42.7	39.2	91.3	248.6	237.4	•		
1984	_						•			32.4	67.4	•
										•	•	

;					,							
1990			59.5	56.9	54.0	52.7				47.0	42.2	60.1
1991	50.9	47.8	67.7	22.7	24.3	29.0	33.4	54.0	60.1	52.7	53.7	65.5
1992	66.3	103.3	108.8	60.4	35.1	38.6	58.9	131.7	60.3	65.8	70.2	82.7
1993	2,485	135.2	40.9	39.5	38.2	26.0	27.0	41.2	55.2	38.5	39.9	55.6
1994	51.7	68.0	61.9	43.0	53.2	61.4	61.5	47.1	75.1	56.6	79.3	195.4
1995	273.1	252.3	42.5	44.2	41.0	31.7	29.0	58.9	64.3	40.7	49.7	63.7
1996	68.8	67.8	57.0	50.1	50.2	43.3	40.7	67.0	216.2	55.7	57.6	81.5
1997	108.5	66.4	37.0	25.8	53.3	47.0	44.0	53.6	61.0	60.5	71.5	88.8
1998	73.3	251.6	75.9	104.0	48.4	51.6	109.1	57.2	59.3	61.6	66.2	67.5
1999	78.6	81.1	64.9	55.8	65.8	58.6	228.6	92.2	96.3	57.4	52.2	48.4
2000	47.8	49.2	50.0	48.4	50.6	84.9	66.3	102.6	73.3	523.0	227.8	47.8
2001	59.2	58.8	60.0	64.2	59.9	56.4	69.0	69.7	58.2	58.7	64.7	70.3
2002	74.5	69.6	72.8	65.0	63.9	63.6	79.4	99.9	143.9	64.1	73.3	78.0
2003	76.7	79.0	73.7	71.8	67.7	72.2	119.2	264.5	87.0	69.0	85.5	66.3
2004	82.6	79.9	95.3	81.6	71.3	64.5	89.4	104.5	114.2	67.7	73.4	87.9
2005	115.6	190.5	67.1	61.4	57.7	51.1	68.0	363.0	80.8	69.5	67.0	73.9
2006	74.8	68.7	67.5	65.0	56.3	55.8	725.0	211.8	114.1	57.9	56.8	64.9
2007	62.5	60.1	59.1	52.9	49.9	48.0	256.8	135.7	51.0			
Mean of monthly Discharge	98	52	43	25	23	24	91	124	63	52	34	81
** No Incon	nplete d	data ha	ve bee	n used	for sta	tistical	calcula	tion		, , , ,		

Questions about sites/data? Feedback on this web site

Top
Explanation of terms
Subscribe to NWISWeb notifications

### **Automated retrievals**

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey


Title: Surface Water data for Arizona: USGS Monthly Statistics

URL: http://waterdata.usgs.gov/az/nwis/monthly?

Page Contact Information: <u>NWISWeb Support Team</u> Page Last Modified: 2008-03-27 20:53:00 EDT

4.65 4.65 nadww01





# **USGS Monthly Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, <u>click here</u>.

USGS 09486520 SANTA CRUZ RIVER AT TRICO ROAD, NR MARANA, AZ.

Pima County, Arizona
Hydrologic Unit Code 15050303
Latitude 32°28'17", Longitude 111°18'25" NAD27
Drainage area 3,641 square miles
Gage datum 1,910 feet above sea level NGVD29

Time-series: Monthly statistics

Output formats

HTML table of all data

Tab-separated data

Reselect output
format

		0	0060,	Discha	rge, c	ubic fe	et per	secon	d,			
YEAR	Mon	thly m	ean in	cfs (	Calcula	tion P	eriod:	1989-	10-01	-> 200	7-09	-30)
IEAK	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1989	<del></del>									40.0	40.5	34.5
1990	37.1	46.2	35.9	27.3	17.0	10.8	317.7	39.3	21.1	5.78	14.3	36.6
1991	25.5	2.56	82.1	0.000	0.000	0.000	0.000	2.00	0.074	6.27	10.0	8.72
1992	9.60	43.9	42.1	3.13	2.48	4.35	2.37	29.7	2.50	13.1	16.5	39.8
1993	1,509	0.000	0.000	0.000	0.000	0.000	0.000	6.13	0.693	7.11	6.49	10.2
1994	33.8	21.4	29.0	14.2	9.66	12.0	6.35	3.11	6.72	8.79	11.3	156.7
1995	221.3	261.0	8.71	0.000	0.000	0.000	0.000	18.9	0.000	0.000	1.76	12.2

18.3	17.8	17.0	14.2	9.36	4.48	7.96	30.3	206.7	0.000	4.78	18.8
19.9	22.8	14.2	9.63	6.57	8.94	4.36	3.52	3.99	25.3	39.3	43.9
52.0	294.3	6.24	41.1	3.93	6.17	39.7	34.7	28.7	23.4	36.7	29.9
34.1	28.5	24.2	16.3	12.4	6.31	144.8	27.9	45.1	21.4	25.9	33.1
36.5	35.2	29.2	24.2	18.3	22.8	18.5	49.1	26.3	336.6	73.0	3.83
13.5	18.5	14.4	17.6	11.4	6.92	15.5	28.5	21.0	20.4	30.0	39.4
42.9	41.9	39.2	25.5	19.4	15.5	23.5	31.6	66.0	21.0	34.7	41.4
36.0	35.7	28.4	19.9	18.8	20.9	51.1	140.5	39.7	35.0	55.3	39.6
56.2	49.8	56.4	50.8	32.5	27.1	54.5	68.7	66.1	40.6	53.8	61.1
83.5	94.2	32.0	23.8	19.5	16.1	23.7	362.2	56.0	45.2	46.3	56.4
53.2	44.6	43.1	37.3	26.5	27.3	704.1	147.2	68.2	31.5	33.1	42.0
43.9	41.7	35.5	24.1	17.7	15.8	210.9	90.0	24.1	•	,	
129	61	30	19	13	11	90	62	38	38	30	39
	19.9 52.0 34.1 36.5 13.5 42.9 36.0 56.2 83.5 53.2 43.9	19.9     22.8       52.0     294.3       34.1     28.5       36.5     35.2       13.5     18.5       42.9     41.9       36.0     35.7       56.2     49.8       83.5     94.2       53.2     44.6       43.9     41.7	19.9       22.8       14.2         52.0       294.3       6.24         34.1       28.5       24.2         36.5       35.2       29.2         13.5       18.5       14.4         42.9       41.9       39.2         36.0       35.7       28.4         56.2       49.8       56.4         83.5       94.2       32.0         53.2       44.6       43.1         43.9       41.7       35.5	19.9       22.8       14.2       9.63         52.0       294.3       6.24       41.1         34.1       28.5       24.2       16.3         36.5       35.2       29.2       24.2         13.5       18.5       14.4       17.6         42.9       41.9       39.2       25.5         36.0       35.7       28.4       19.9         56.2       49.8       56.4       50.8         83.5       94.2       32.0       23.8         53.2       44.6       43.1       37.3         43.9       41.7       35.5       24.1	19.9       22.8       14.2       9.63       6.57         52.0       294.3       6.24       41.1       3.93         34.1       28.5       24.2       16.3       12.4         36.5       35.2       29.2       24.2       18.3         13.5       18.5       14.4       17.6       11.4         42.9       41.9       39.2       25.5       19.4         36.0       35.7       28.4       19.9       18.8         56.2       49.8       56.4       50.8       32.5         83.5       94.2       32.0       23.8       19.5         53.2       44.6       43.1       37.3       26.5         43.9       41.7       35.5       24.1       17.7	19.9       22.8       14.2       9.63       6.57       8.94         52.0       294.3       6.24       41.1       3.93       6.17         34.1       28.5       24.2       16.3       12.4       6.31         36.5       35.2       29.2       24.2       18.3       22.8         13.5       18.5       14.4       17.6       11.4       6.92         42.9       41.9       39.2       25.5       19.4       15.5         36.0       35.7       28.4       19.9       18.8       20.9         56.2       49.8       56.4       50.8       32.5       27.1         83.5       94.2       32.0       23.8       19.5       16.1         53.2       44.6       43.1       37.3       26.5       27.3         43.9       41.7       35.5       24.1       17.7       15.8	19.9       22.8       14.2       9.63       6.57       8.94       4.36         52.0       294.3       6.24       41.1       3.93       6.17       39.7         34.1       28.5       24.2       16.3       12.4       6.31       144.8         36.5       35.2       29.2       24.2       18.3       22.8       18.5         13.5       18.5       14.4       17.6       11.4       6.92       15.5         42.9       41.9       39.2       25.5       19.4       15.5       23.5         36.0       35.7       28.4       19.9       18.8       20.9       51.1         56.2       49.8       56.4       50.8       32.5       27.1       54.5         83.5       94.2       32.0       23.8       19.5       16.1       23.7         53.2       44.6       43.1       37.3       26.5       27.3       704.1         43.9       41.7       35.5       24.1       17.7       15.8       210.9	19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7         83.5       94.2       32.0       23.8       19.5       16.1       23.7       362.2         53.2       44.6       43.1       37.3       26.5       27.3       704.1       147.2         43.9       41.7       35.5       24.1       17.7       15.8       210.9       90.0	19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52       3.99         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7       28.7         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9       45.1         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1       26.3         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5       21.0         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6       66.0         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5       39.7         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7       66.1         83.5       94.2       32.0       23.8       19.5       16.1       23.7       362.2       56.0         53.2       44.6       43.1       37.3       26.5       27.3       704.1       147.2       68.2         43.9 <td< th=""><th>19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52       3.99       25.3         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7       28.7       23.4         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9       45.1       21.4         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1       26.3       336.6         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5       21.0       20.4         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6       66.0       21.0         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5       39.7       35.0         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7       66.1       40.6         83.5       94.2       32.0       23.8       19.5       16.1       23.7       362.2       56.0       45.2         53.2       44.6       <td< th=""><th>19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52       3.99       25.3       39.3         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7       28.7       23.4       36.7         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9       45.1       21.4       25.9         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1       26.3       336.6       73.0         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5       21.0       20.4       30.0         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6       66.0       21.0       34.7         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5       39.7       35.0       55.3         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7       66.1       40.6       53.8         83.5       94.2       32.0       23.8       19.5       <td< th=""></td<></th></td<></th></td<>	19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52       3.99       25.3         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7       28.7       23.4         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9       45.1       21.4         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1       26.3       336.6         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5       21.0       20.4         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6       66.0       21.0         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5       39.7       35.0         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7       66.1       40.6         83.5       94.2       32.0       23.8       19.5       16.1       23.7       362.2       56.0       45.2         53.2       44.6 <td< th=""><th>19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52       3.99       25.3       39.3         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7       28.7       23.4       36.7         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9       45.1       21.4       25.9         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1       26.3       336.6       73.0         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5       21.0       20.4       30.0         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6       66.0       21.0       34.7         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5       39.7       35.0       55.3         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7       66.1       40.6       53.8         83.5       94.2       32.0       23.8       19.5       <td< th=""></td<></th></td<>	19.9       22.8       14.2       9.63       6.57       8.94       4.36       3.52       3.99       25.3       39.3         52.0       294.3       6.24       41.1       3.93       6.17       39.7       34.7       28.7       23.4       36.7         34.1       28.5       24.2       16.3       12.4       6.31       144.8       27.9       45.1       21.4       25.9         36.5       35.2       29.2       24.2       18.3       22.8       18.5       49.1       26.3       336.6       73.0         13.5       18.5       14.4       17.6       11.4       6.92       15.5       28.5       21.0       20.4       30.0         42.9       41.9       39.2       25.5       19.4       15.5       23.5       31.6       66.0       21.0       34.7         36.0       35.7       28.4       19.9       18.8       20.9       51.1       140.5       39.7       35.0       55.3         56.2       49.8       56.4       50.8       32.5       27.1       54.5       68.7       66.1       40.6       53.8         83.5       94.2       32.0       23.8       19.5 <td< th=""></td<>

\*\* No Incomplete data have been used for statistical calculation

# Questions about sites/data? Feedback on this web site

Top
Explanation of terms
Subscribe to NWISWeb notifications

### **Automated retrievals**

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Surface Water data for Arizona: USGS Monthly Statistics

URL: http://waterdata.usgs.gov/az/nwis/monthly?

Page Contact Information: <u>NWISWeb Support Team</u> Page Last Modified: 2008-03-27 20:47:51 EDT

2.37 2.36 nadww01





# **USGS Surface-Water Daily Statistics for Arizona**

official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in may not match, click here.

# USGS 09486500 SANTA CRUZ RIVER AT CORTARO, AZ

				Õ	00060, Discha	ırge, cubic	Discharge, cubic feet per second,	cond,				
Day of		daily mear	Mean of daily mean values for each day for	each day	for 57 - 60	years of re	57 - 60 years of record in, cfs (Calculation Period 1939-10-01 -> 2007-09-30)	(Calcula	tion Period	1939-10	-01 -> 2007	7-09-30)
month	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	73	40	105	29	24	22	25	131	65	352		31
2	45	37	118	38	23	22	32	190	20	703	26	27
ဇာ	38	39	108	30	23	22	32	137	101	320	25	31
4	51	102	93	29	23	22	23	144	95	95	26	34
ro.	26	82	104	26	23	22	31	116	09	53	27	61
9	75	]25	55	27	23	23	36	148	101	26	30	99
7	72	51	41	23	22	22	73	153	83	43	79	37
	•	•	•	•		•						

∞	116	55	37	23	22	22	79	110	49	35	42	28
6	95	70	34	23	22	22	38	140	37	151	30	30
10	44	52	36	23	22	22	33	205	224	243	29	53
Ħ	198	51	37	23	21	22	58	134	93	50	34	70
12	170	120	28	23	22	23	58	129	81	49	48	3
13	122	75	34	23	22	22	09	177	73	33	37	3
41	74	63	57	23	22	22	55	305	20	25	29	35
15	28	112	99	23	23	22	156	137		23	28	65
16	55	73	46	24	23	22	104	148	61	24	33	99
17	71	54	34	24	23	23	154	118	31	25	31	69
18	266	99	36	23	23	22	75	92	20	25	30	208
19	505	47	37	24	23	22	75	121	36	82	34	323
20	196	99	32	26	24	22	155	147	33	09	27	241
21	81	43	26	23	24	27	136	140	34	36	31	173
22	58	71	52	23	23	25	195	69	42	54	29	156
23	36	53	69	24	23	27	172	303	55	144	27	187
24	34	33	30	23	24	26	218	131	76	72	41	93
25	88	31	31	23	24	29	115	79		29	85	63
26	110	30	27	23	23	28	65	103	131	27	30	39
27	65	27	24	22	23	22	83	70	43	34	27	44
28	51	32	27	22	23	29	138	62	37	30	27	170
29	41	24	34	22	24	29	220	41	45	34	27	45
30	74		32	22	22	34	243	45	88	39	27	54
31	54		28		22		406	20		36		139

Questions about sites/data? Feedback on this web site

Explanation of terms Subscribe to NWISWeb notifications

Top

Automated retrievals


Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: Surface Water data for Arizona: USGS Surface-Water Daily Statistics

URL: http://waterdata.usgs.gov/az/nwis/dvstat?

Page Contact Information: NWISWeb Support Team Page Last Modified: 2008-04-01 13:18:39 EDT






## **USGS Surface-Water Daily Statistics for Arizona**

The statistics generated from this site are based on approved daily-mean data and may not match those published by the USGS in official publications. The user is responsible for assessment and use of statistics from this site. For more details on why the statistics may not match, <u>click here</u>.

USGS 09486520 SANTA CRUZ RIVER AT TRICO ROAD, NR MARANA, AZ.



				000	60, Dischar	ge, cubic f	eet per se	cond,				
	Mean of d	laily mean	values for	each day f	or 18 - 18 y	ears of re	cord in, cfs	(Calculat	tion Period	1989-10-0	01 -> 2007	-09-30)
Day of month			Calculation	n period re	estricted by	USGS sta	ff due to sp	ecial cond	itions at/n	ear site		
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	32	27	26	17	12	12	15	160	59	16	21	26
2	30	29	116	76	14	12	11	80	20	19	23	25
3	35	30	60	32	14	12	8.9	38	295	17	23	25
4	54	29	52	26	13	13	8.0	31	64	17	24	28
5	55	29	28	23	12	12	9.5	30	41	30	24	119
6	239	29	31	22	12	11	14	63	33	28	27	168

7	166	33	30	20	12	12	22	62	103	22		120
8	160	42	33	18	12	13	108	62	34		18	18 40
6	147	53	39	16	12	12	29	114	24		18	18 28
10	80	47	34	17	13	12	15	54	24	22		2 26
=	421	30	27	17	12	12	21	28	99	20		25
12	198	63	24	18	12	L T	24	33	18	89		30
13	227	79	23	16	13	11	12	17	16	37		41
14	58	26	23	14	12	12	13	74	18	27		27
15	40	239	23	15	12	T	212	130	24	18	1	24
16	35	132	21	15	13	11	37	55	31	17	i	24
17	58	107	19	16	13	11	15	26	16	19	Į	24
18	253	259	20	17	13	12	19	21	18	18	i	24
19	863	51	19	17	13	11	17	20	37	18	1	25
20	419	62	21	16	13	11	103	19	18	26		26
21	87	87	21	16	12	11	27	17	16	24		27
22	56	39	20	16	12	10	45	18	16	53		26
23	44	26	20	16	13	10	79	256	16	261		27
24	36	26	18	16	13	11	285	182	24	188		26
25	32	27	18	17	12	10	108	49	29	42		26
26	30	30	22	16	11	10	40	41	16	22		25
27	32	27	19	15	12	10	28	84	15	21		26
28	33	26	18	14	12	6.6	137	59	15	22		56
29	28	27	47	14	14	9.1	478	40	16	21		27
30	28		35	13	14	17	206	31	16	21		26
31	29		19		13		652	23		22		

Questions about sites/data? Feedback on this web site

Explanation of terms Subscribe to NWISWeb notifications

**Automated retrievals** 

Accessibility FOIA Privacy Policies and Notices


U.S. Department of the Interior | U.S. Geological Survey
Title: Surface Water data for Arizona: USGS Surface-Water Daily Statistics
URL: http://waterdata.usgs.gov/az/nwis/dvstat?


Page Contact Information: Arizona NWISWeb Maintainer



USGS Surface Water data for Arizona: USGS Surface-Water Daily Statistics

Page Last Modified: 2008-05-28 14:54:14 EDT 1.53 1.5 nadww01





,			



### **National Weather Service**

# Advanced Hydrologic Prediction Service



Home

News

Organization

Search for:

NWS AII NOAA

Santa Cruz River

Choose a Location

Return to:

Santa Cruz River Point Selection Page

**Important Note:** 

**Current Warnings/Statements/** 

Book-marking page saves current search criteria

near Tubac

Flood Stage: 28Feet

Latest Stage: 21.82 ft at 19:15 UTC

Advisories: None currently.

Complete information about the Santa Cruz River near Tubac

available from

04/01 NWS Tucson, AZ. Santa Cruz River 1 SE Tubac Universal Time (UTC) 18Z Mar 29 Mar 28 Mar 30 Mar 31 Apr 1 Apr 2 Apr 3 Apr 5 Apr 4 Apr 6 Apr 7 16.9 Latest observed value: 21.82 ft at 1:15 Record Stage: 26.61 PM MST 2-Apr-2008. Flood Stage is 28.0 Action Stage: 26.0' 26 9.3 25 4.5 23 0.5 22-21.82 ft 0.1 21 0.0 12pm Fri Sat Sun Mon Tue Wed Thu Fri Sat Sun Mon Mar 28 Mar 29

STBA3 (plotting HGIRG) "Gage 0" Datum: 3180.00"

Mar 30

Mar 31

Observations courtesy of the US Geological Survey

Apr 6

Apr 7

Apr 5

NOTE: Forecasts for the Santa Cruz River near Tubac are issued as needed during times of high water, but are not routinely available.

Apr 2

Site Time (MST)

---- Graph Created (1:43pm Apr 2, 2008) --- Observed --- Forecast (issued 12:00pm Apr 2)

Apr 3

Apr 4

Apr 1

		ę	



### Return to the Top

at Cortaro

Flood Stage: 14Feet


Latest Stage: 3.09 ft at 20:45 UTC

04/01

Current Warnings/Statements/ Advisories:


None currently.

Complete information about the Santa Cruz River at Cortaro available from NWS Tucson, AZ.



NOTE: Graphical forecasts are not available for the Santa Cruz River at Cortaro. During times of high water, forecast crest information can be found in the text products.

	•	e		
,				
		,		
				*
	÷			



### Flood Categories (in feet)

Major Flood Stage:	16
Moderate Flood Stage:	15
Flood Stage:	14
Action Stage:	13

### Return to the Top

at Trico Road Flood Stage: 16Feet


Latest Stage: 3.09 ft at 21:00 UTC

04/01

**Current Warnings/Statements/** Advisories: None currently.


Complete information about the Santa Cruz River at Trico Road available from NWS Tucson, AZ.

		et e	
	٥		



NOTE: Graphical forecasts are not available for the Santa Cruz River at Trico Road. During times of high water, forecast crest information can be found in the text products.

~			
		ły	



### Collaborative Agencies



The National Weather Service prepares its forecasts and other services in collaboration with agencies like the US Geological Survey, US Bureau of Reclamation, US Army Corps of Engineers, Natural Resource Conservation Service, National Park Service, ALERT Users Group, Bureau of Indian Affairs, and many state and local emergency managers across the country. For details, please click here.

### **NWS Information**

National Weather Service Tucson Weather Forecast Office 520 North Park Ave, Suite 304 Tucson, AZ 85719 (520) 670-6526 Ask Questions/Webmaster

Page last modified: 5-Sep-2007 1:40 PM

Disclaimer Credits Privacy Policy About Us

Glossary

Career Opportunities

,		



### **National Weather Service**

# Advanced Hydrologic Prediction Service



Home

News

Organization

Search for:

NWS AII NOAA

### Santa Cruz River

Choose a Location

Return to:

Santa Cruz River Point Selection Page

**Important Note:** 

Book-marking page saves current search criteria

near Tubac

05/28

Flood Stage: 28Feet

Latest Stage: 21.82 ft at 15:15 UTC

Current Warnings/Statements/

Advisories:


None currently.

Complete information about

the Santa Cruz River near Tubac

available from

NWS Tucson, AZ.



NOTE: Forecasts for the Santa Cruz River near Tubac are issued as needed during times of high water, but are not routinely available.

Return to the Top

at Green Valley

Flood Stage: 14Feet

Latest Stage: 2.08 ft at 17:00 UTC


05/28

**Current Warnings/Statements/** Advisories:

None currently.

Complete information about the Santa Cruz River at Green Valley





NOTE: Graphical forecasts are not available for the Santa Cruz River at Green Valley. During times of high water, forecast crest information can be found in the text products.

### Flood Categories (in feet)

Major Flood Stage:	16
Moderate Flood Stage:	15
Flood Stage:	14
Action Stage:	11

Latest Stage: 3 ft at 17:45 UTC 05/28

### Return to the Top


Current Warnings/Statements/ at Cortaro Advisories: Flood Stage: 14Feet

Complete information about the Santa Cruz River at Cortaro

available from NWS Tucson, AZ.

None currently.

•		



NOTE: Flood stage level has recently changed.

**NOTE:** Graphical forecasts are not available for the Santa Cruz River at Cortaro. **During times of high water**, **forecast crest information can be found in the text products.** 

### Flood Categories (in feet)

Major Flood Stage:	16
Moderate Flood Stage:	15
Flood Stage:	14
Action Stage:	13

### Return to the Top

05/28


at Trico Road Flood Stage: 16Feet Latest Stage: 2.87 ft at 17:00 UTC

JTC N

Current Warnings/Statements/ Advisories: None currently.

Complete information about the Santa Cruz River at Trico Road available from

NWS Tucson, AZ.



NOTE: Graphical forecasts are not available for the Santa Cruz River at Trico Road. During times of high water, forecast crest information can be found in the text products.

### Return to the Top

### Collaborative Agencies

Collapse

The National Weather Service prepares its forecasts and other services in collaboration with agencies like the US Geological Survey, US Bureau of Reclamation, US Army Corps of Engineers, Natural Resource Conservation Service, National Park Service, ALERT Users Group, Bureau of Indian Affairs, and many state and local emergency managers across the country. For details, please click here.

### **NWS Information**

National Weather Service Tucson Weather Forecast Office 520 North Park Ave, Suite 304 Tucson, AZ 85719 (520) 670-6526

Ask Questions/Webmaster

Page last modified: 5-Sep-2007 1:40 PM

Disclaimer Credits Privacy Policy About Us

Glossary

Career Opportunities

			V	
	-			
				k

# EXHIBIT D SIGNIFICANT FLOW EVENTS

		*	
•			
	·		

#### SIGNIFICANT FLOW EVENTS, SANTA CRUZ RIVER

Date	Event
Feb 19-22, 1890	Overbank flooding of Santa Cruz River documented
Sep 18, 1925	Peak flow of 3,400 cfs, Tucson
Sep 28, 1926	Peak flow of 11,400 cfs, Tucson
Sep 24, 1929	Peak flow of 10,400 cfs, Tucson
Aug 18, 1931	Peak flow of 9,200 cfs
Aug 10, 1945	Peak flow of 14,000 cfs, Cortaro
Jul 14, 1953	Peak flow of 10,800 cfs, Cortaro
Aug 20, 1959	Peak flow of 8,000 cfs, Cortaro
Aug, 23, 1961	Peak flow of 16,600 cfs, Tucson
Dec 20, 1967	Peak flow of 16,100 cfs, Tucson
Oct 9, 1977	Peak flow of 26,500 cfs, Continental (Green Valley)
Dec 19, 1978	Peak flow of 13,500 Tucson
Aug 23, 1982	Peak flow of 13,300 cfs, Cortaro
Oct 2, 1983	Peak flow of 52,700 cfs, Tucson and 65,000 cfs, Cortaro
Jul 24, 1990	Peak flow of 21,000 cfs, Tucson
Aug 6, 1992	Peak flow of 5,970 cfs, Tucson
Jan 19, 1993	Peak flow of 37,400 cfs, Tucson

Flow data derived from <a href="http://www.wrh.noaa.gov/twc/hydro/floodhis.php">http://www.wrh.noaa.gov/twc/hydro/floodhis.php</a>; no gaging data provided at this website for peak flows after 1994

		·
		·
1		

## EXHIBIT E AERIAL PHOTOS--SANTA CRUZ RIVER IN STUDY REACHES A AND B

First Photo: Tubac (Study Reach A)

Second Photo: Continental (Study Reach A) Third Photo: Roger Road (Study Reach B)

Fourth Photo: Just downstream of Roger Road (Study Reach B)

Fifth Photo: Confluence w/Rillito River and Canada del Oro Wash (Study Reach B)

Sixth Photo: Cortaro Road (Study Reach B)

Seventh Photo: Pima/Pinal County Lines just downstream of Trico Road (Study

Reach B)


,			
		,	




	*		٠	



	•			
,			,	
				ş



		÷



•		
*		



·		




	P	

### **EXHIBIT F Existing and Proposed Santa Cruz River Parks**


Proposed El Rio Medio, Congress Street to Prince Road and Tres Rios del Norte (Prince Road to Sanders Road)

-Historic Juan Bautista de Anza Trail Map within area of determination

	·	



	·	



## EXHIBIT G ADDITIONAL NAVIGATION DOCUMENTATION

1994 Article 2005 Article

Atucson.com Jobs • Cars • Real Estate • Apartments • Shopping • Classifieds • Obituaries • Dating

SN WWW. azstarnet.com" Customer Service: Pay Bill | Place an Ad | Contact

NEW DEAL **NEW YEAR** 



- **Tucson Region**
- **UA Sports**
- Sports
- News
- Business Opinion
- Accent
- Entertainment
- Neighborhoods
- All Headlines
- Site Map
- Contact Us

SEARCH THE STAR:

**NEW!** Headlines from

your ZIP code

Text Size: SML

Past Week (Free)

Search

Arizona Daily Star

Newspaper archive powered by

Daily Star front page

Download today's

**NewsBank** 

Archive Search > Buy > Print

StarNet is a part of

Lee Enterprises

Daily Star photo

store

Sign up for Arizona

**Amber Alerts** 

Subscribe Now

» Help » Pricing » New Search **Printer Friendly** Return to results

Account Information

You have purchased 1 articles, and you have 9 remaining before the subscription expires on 04/02/2008 2:47 PM.



			,	
			·	

Copyright © 2006 Terms of service

October 4, 1994

Section: NEWS Page: 7A

# Santa Cruz on the River; River takes pair for joyous ride

Laura Brooks

NOTE: SANTA CRUZ ON THE RIVER; Third in a four-day series

TUBAC - They got slammed, bumped, tossed and dumped. But in the end, the canoe ride down the Santa Cruz was "a hoot," says Sherry Sass, head of Friends of the Santa Cruz River, and Mark Larkin, also a group member.

An avid river watcher, Sass says she often wondered about cruising the waterway.

"It's not like a major thoroughfare for boats, God knows," Sass admits. But, "I think it's navigable some of the time."

Last year, after the January floods, Sass and Larkin decided it was time to float - not tote - Larkin's **boat**.

The duo searched for water "deep enough that you can float for a distance, but not dangerous," Sass says.

A mile south of Tubac, they found a spot where the water was waist deep and running hard.

"We basically just jumped in and slammed against a cottonwood and got dumped," Sass says.

"It wasn't a real good start," says Larkin, deadpanning.

Then, as Sass helped pull the 17-foot canoe off the tree against the stream, she slipped and skinned her leg.

"I was stunned at the power of the river," Sass says. "Somehow we got back in and shot down the river. And it was just a hoot after that."

The pair rode about three miles of river before pulling the plastic canoe ashore beyond Tubac.

Like Sass and Larkin, there have been others who "sailed" the river.

One trip occurred during 1914 floods, apparently in the spirit of friendly rivalry between Nogales and Tucson, wrote the late historian Don Bufkin. On Dec. 26 that year, Nogales officials launched the "good boat Nogales" with a New Year's greeting for Tucson. It was set to arrive at Tucson's Congress Street the next day, The Arizona Daily Star reported. It didn't make it.

"The (ship) Nogales ran into the branches of a fallen tree and is now moored this side of Tubac," the paper reported.

Finally, the stranded boat hulk "was dragged out of the river bed and saw service as a watering trough for cattle for many years," Bufkin wrote, quoting the late Judy England, of Tumacacori.

Copyright 1994, 1999 The Arizona Daily Star

G			

		·		
			,	

Atucson.com Jobs • Cars • Real Estate • Apartments • Shopping • Classifieds • Obituaries • Dating

SN WWW. azstarnet.com" Customer Service: Pay Bill | Place an Ad | Contact

NEW YEAR **NEW DEAL** 

- **Tucson Region** 
  - **UA Sports**
- Sports
- Business News
- **Opinion**
- Accent
- Entertainment
- Neighborhoods
- All Headlines
- Site Map
- Contact Us

**NEW!** Headlines from

your ZIP code

Text Size: SML

SEARCH THE STAR:

Past Week (Free)

Search

Arizona Daily Star

Newspaper archive powered by

Daily Star front page

PDF

Download today's

**NewsBank** 

Archive Search > Buy > Print

StarNet is a part of

Lee Enterprises

Daily Star photo

Sign up for Arizona

**Amber Alerts** 

Subscribe Now

» Help » Pricing » New Search

**Printer Friendly** Return to results

Account Information

You have purchased 2 articles, and you have 8 remaining before the subscription expires on 04/02/2008 2:47 PM.



:		

Terms of service

August 25, 2005 Copyright © 2006

Section: TUCSON/REGION

Page: B2

## Fire Dept. criticizes KRQQ's river stunt Becky Pallack, ARIZONA DAILY STAR

A radio-show stunt that sent an intern rafting in the flooded Santa Cruz River on Wednesday morning was irresponsible and mocks the safety message firefighters have been spreading this summer, a Tucson Fire Department official said.

While on the air with Johnjay and Rich on KRQQ (93.7-FM), intern Randy Stein launched near West El Camino del Cerro, but he managed to get out of the river before a police officer asked him to leave, DJ Rich Berra said.

Stein likely will not face criminal charges for **the** stunt, but Fire Capt. Paul McDonough said "it sends **the** wrong message."

"We've had several drownings in wash-related accidents this year and this kind of behavior is counterproductive to the importance of our message: Don't go in the wash, don't play in the wash," McDonough said.

Berra said he agrees with McDonough, but added: "If we just did responsible things **on the** radio, we would not be entertaining."

He said Stein has performed other stunts and was not in danger.

Two years ago, the station was under federal investigation after a man claiming to be a KRQQ intern sneaked onto Davis-Monthan Air Force Base during a presidential visit. "We don't want kids to do as we do, just listen and enjoy," Berra said. "People who think it's irresponsible don't have an intern trying to earn college credit."

The important message, McDonough said, is that washes and rivers can be deadly.

"Boulders become wrecking balls, trees and branches become projectiles, and you don't realize the force of the water," he said. "It can be deceptive."

\* Contact reporter Becky Pallack at 629-9412 or bpallack@azstarnet.com.

Copyright 2005 The Arizona Daily Star

.

	,		

#### Questions and Answers for the Traditional Navigable Waters Determination for the Santa Cruz River pursuant to the Supreme Court *Rapanos* and *Carabell* Decision

#### **Table of Contents**

	Page Number
General Questions on the Corps' Decision Concerning the Santa Cruz River	2
General Questions on the Rapanos Decision	4
General Questions on the Corps/EPA  Rapanos Guidance	6
Questions on Jurisdictional Determinations Requiring a "Significant Nexus" Evaluation	8
Documentation and Coordination Requirements	11
Program Impacts	12
Questions Regarding State/Tribal Programs to Protect Aquatic Resources	13

#### Questions and Answers for the Traditional Navigable Waters Determinations for the Santa Cruz River

#### General Questions on the Corps' Decision Concerning the Santa Cruz River:

1. What decision was made by the U.S. Army Corps of Engineers about the Santa Cruz River?

A. Colonel Thomas H. Magness, Commander of the Corps' Los Angeles District, has determined that two reaches of the Santa Cruz River are "traditionally navigable waters." The two reaches are Tubac gaging station downstream to the Continental gaging station and the River Road Treatment Plant to the Pima/Pinal County line. A copy of the decision document can be found on the District's web site (www.spl.usace.army.mil).

2. Why is this decision important?

A. This decision will facilitate evaluations of tributaries to the Santa Cruz River. Under the Federal Clean Water Act (CWA), the Corps must determine whether particular waterways are covered by CWA jurisdiction. Pursuant to authority under Section 404 of the CWA, the Corps regulates discharges of dredged or fill material into such jurisdictional waterways. Section 404 provides the Corps mandate to safeguard traditional navigable waters (TNW), relatively permanent waters and directly abutting wetlands, as well as other waters and adjacent wetlands possessing a significant nexus to a TNW.

3. Are other portions of the Santa Cruz River considered traditional navigable waters?

A. No determination has been made. The Corps Los Angeles District Regulatory Division will continue to evaluate other portions of the Santa Cruz River as possible traditional navigable waters. If sufficient evidence is identified to warrant designating additional reaches of the river as traditional navigable waters, the Corps will document those findings and publish them on the District's web site (www.spl.usace.army.mil).

- 4. Why was it necessary to evaluate the Santa Cruz River as a traditional navigable water?
  - A. A 2006 U.S. Supreme Court decision followed by joint 2007 Corps and Environmental Protection Agency (EPA) implementing guidance for that decision requires much more detailed analysis in order to assert CWA

jurisdiction over wetlands, rivers, tributaries, and other waters. As part of this analysis required to determine jurisdiction, the location of the nearest traditional navigable water must be identified. Several property owners and public agencies within Pima County (which is within the Santa Cruz River Watershed) requested a CWA jurisdictional determination for their property, and the District Engineer's evaluation was initiated as part of the response to that request.

#### General Questions on the Rapanos and Carabell Supreme Court Decision:

- 5. What is the significance of the *Rapanos and Carabell* decision (hereinafter referred to as *Rapanos*) with respect to Clean Water Act (CWA) jurisdiction?
  - A. The Supreme Court decision did not affect CWA jurisdiction over traditional navigable waters (TNW) or wetlands adjacent to TNWs. The *Rapanos* opinions established two different standards for establishing jurisdiction over all other waters. The first standard, that given by the plurality opinion, finds CWA jurisdiction if the water body is "relatively permanent," or is a wetland directly abutting a relatively permanent water. The second standard, that given by Justice Kennedy, finds CWA jurisdiction if a water body, in combination with all wetlands adjacent to that water body, has a "significant nexus" with traditional navigable waters. Justice Kennedy identifies a "significant nexus" as existing where those waters significantly affect (i.e., the effect is more than speculative or insubstantial) the chemical, physical, and biological integrity of the traditional navigable water.

The Rapanos decision did not affect CWA jurisdiction over traditional navigable waters and their adjacent wetlands.

- 6. The Rapanos opinions seem to agree that navigable waters are protected under the CWA, but do not define that term. How do the Corps and EPA (the "Agencies") define "navigable waters"?
  - A. Section 502(7) of the CWA defines the term "navigable waters" as "the waters of the United States, including the territorial seas." The Agencies' regulations further define the term "waters of the United States" at 33 C.F.R. § 328.3(a) and 40 C.F.R. § 230.3(s).
- 7. What is "a traditional navigable water"?
  - A. "A traditional navigable water" includes: 1) all of the "navigable waters of the United States" defined in 33 C.F.R. Part 329; 2) all waters determined navigable by numerous decisions of the Federal courts; as well as 3) all other

#### waters that are navigable-in-fact.

- 8. What does "adjacent" mean if a wetland is "adjacent to a traditional navigable water"?
  - A. "Adjacent," as defined in Corps and EPA regulations, means "bordering, contiguous, or neighboring. Wetlands separated from other waters of the United States by man-made dikes or barriers, natural river berms, beach dunes and the like are 'adjacent wetlands."
- 9. What is a "tributary"?
  - A. A "tributary," as defined in the *Rapanos* guidance document, means a natural, man-altered, or man-made water body that carries flow directly or indirectly into traditional navigable waters. For purposes of determining "significant nexus" with a traditional navigable water, a "tributary" is the entire reach of the stream that is of the same order (i.e., from the point of confluence, where two lower order streams meet to form the tributary, downstream to the point such tributary enters a higher order stream).
- 10. What does "abutting" mean if a wetland is adjacent to a tributary?
  - A. Wetlands that are not separated from the tributary by an upland feature, such as a berm or dike, are "abutting."
- 11. What does the term "relatively permanent" mean?
  - A. In the context of CWA jurisdiction post-Rapanos, a water body is "relatively permanent" if its flow is year round or its flow is continuous at least "seasonally" (e.g., typically 3 months). Wetlands adjacent to a "relatively permanent" tributary are also jurisdictional if those wetlands directly abut such a tributary.
- 12. In the context of CWA jurisdiction post-Rapanos, what does the term "significant nexus" mean?
  - A. A water body is considered to have a "significant nexus" with a traditional navigable water if its flow characteristics and functions in combination with the ecologic and hydrologic functions performed by all wetlands adjacent to such a tributary, significantly affect the chemical, physical, and biological integrity of a downstream traditional navigable water.

#### General Questions on the Corps/EPA Rapanos Guidance:

- 13. What is the purpose of the Rapanos guidance document?
  - A. The guidance document provides guidance to CWA section 404 field staff promoting clarity and consistent application of legal mandates enunciated in the *Rapanos* decision.
- 14. Did any Federal agency have the opportunity to review the *Rapanos* guidance document prior to its release?
  - A. Yes, several Federal agencies, including, the Department of the Army and the Corps of Engineers, the EPA, Dept. of Transportation, Council on Environmental Quality, Office of Management and Budget, and Dept. of Interior, reviewed the document prior to its release.
- 15. Does the *Rapanos* guidance broaden or narrow CWA jurisdiction as compared with CWA jurisdiction asserted by the Corps and EPA before the *Rapanos* decision?
  - A. The guidance does not broaden or narrow CWA jurisdiction. The guidance document reflects the scope of CWA jurisdiction enunciated by the U.S. Supreme Court in *Rapanos*.

The guidance document, based on the *Rapanos* decision, discusses the application of two new analytical standards, plus a greater level of documentation, to support an agency finding that there is the presence or absence of CWA jurisdiction over a particular water body.

- 16. How does the guidance address swales, erosional features, and small washes?
  - A. Swales and erosional features (e.g., gullies, small washes characterized by low volume, infrequent, and short duration flow) are generally not waters of the United States because they are not tributaries or they do not have a significant nexus to downstream traditional navigable waters. Likewise, ditches (including roadside ditches) excavated wholly in and draining only uplands and that do not carry a relatively permanent flow of water are generally not waters of the United States, because they are not tributaries and they do not have a significant nexus to downstream traditional navigable waters.

Even when not jurisdictional waters subject to CWA § 404, these geographic features (e.g., swales, ditches) may still contribute to a surface hydrologic

connection between an adjacent wetland and a traditional navigable water. In addition, these geographic features may function as point sources (i.e., "discernible, confined, and discrete conveyances"), such that discharges of pollutants to other waters through these features could be subject to other CWA regulations (e.g., CWA §§ 311 and 402).

Certain waters in the arid west may be tributaries having a significant nexus to a downstream traditional navigable water. For example, in some cases they may serve as a transitional area between the upland environment and the traditional navigable waters. During and following precipitation events, tributaries collect and transport water and sometimes sediment and other pollutants from the upper reaches of the landscape downstream to the traditional navigable waters. These tributaries may provide habitat for wildlife and aquatic organisms in downstream traditional navigable waters. These biological and physical processes may further support nutrient cycling, sediment retention and transport, pollutant trapping and filtration, and improvement of water quality, functions that may significantly affect the chemical, physical, and biological integrity of downstream traditional navigable waters.

17. How does the *Rapanos* guidance address ephemeral or intermittent waters?

A. The jurisdictional status of ephemeral or intermittent waters depends on whether such waters meet either the plurality or Kennedy standard as described above. Waters that flow only following precipitation events (ephemeral) will need to meet the Kennedy significant nexus standard to be jurisdictional. Intermittent streams will either need to flow at least seasonally to meet the Scalia permanent flow standard, or will have to meet the Kennedy significant nexus standard to be jurisdictional.

#### Questions on Jurisdictional Determinations Requiring a "Significant Nexus" Evaluation:

18. Which aquatic resources will require, as a matter of law, a "significant nexus" evaluation for the Corps to assert or decline CWA jurisdiction?

A. A "significant nexus" evaluation is required to assert CWA jurisdiction over the following categories of water bodies: 1) non-navigable tributaries that are not relatively permanent, including their adjacent wetlands; and 2) wetlands adjacent to, but not directly abutting, a relatively permanent tributary.

In addition, a policy decision has been made to collect information relevant to a significant nexus evaluation for all "intermittent" non-navigable

tributaries and their adjacent wetlands, (i.e., even if the tributary's flow may be relatively permanent, but is not perennial).

- 19. How will the Agencies evaluate "significant nexus" to traditional navigable water with respect to tributaries that have adjacent wetlands?
  - A. If the tributary has adjacent wetlands, the significant nexus evaluation must assess the aquatic functions performed by the tributary itself and in combination with the aquatic functions performed by the tributary's adjacent wetland(s), as these functions relate to the chemical, physical, and biological integrity of a downstream traditional navigable water.
- 20. How will the Agencies evaluate "significant nexus" to traditional navigable water with respect to adjacent wetlands?
  - A. If the wetlands are adjacent to a tributary, the significant nexus evaluation must assess the aquatic functions performed by the tributary itself, in combination with the aquatic functions performed by the tributary's adjacent wetland(s), as these functions relate to the chemical, physical, and biological integrity of a downstream traditional navigable water.
- 21. Do the Agencies believe that "significant nexus" is different for tributaries that have no adjacent wetlands as opposed to tributaries that do have adjacent wetlands?
  - A. Although different methods and considerations may be used to determine if a significant nexus exists for a tributary that has no adjacent wetlands as opposed to a tributary that has adjacent wetlands, the basic concept of "significant nexus" is the same. For both types of tributaries, the significant nexus evaluation is based upon the aquatic functions performed by the reach of water body under consideration, including any and all of that water body's adjacent wetlands. The Agencies must demonstrate whether those functions will have a significant effect (more than speculative or insubstantial) on the chemical, physical, and biological integrity of a traditional navigable water.
- 22. Who is responsible for performing the jurisdictional determination and documenting the findings?
  - A. The Agencies will be responsible for performing the jurisdictional determination in a CWA Section 404 context and documenting the findings.

- 23. Will small tributaries and their adjacent wetlands that are distant from traditional navigable waters no longer be jurisdictional?
  - A. No. Tributaries and adjacent wetlands, even distant ones, meeting the significant nexus standard, will still be subject to CWA regulation.

#### **Program Impacts:**

- 24. Will the Corps revisit jurisdictional decisions made prior to the Rapanos decision?
  - A. Yes, but only if the applicant requests revisitation. The new review will focus on information affected by the *Rapanos* decision. The Corps will not otherwise revisit jurisdictional determinations that were completed prior to the *Rapanos* decision.

#### Questions Regarding State/Tribal Programs to Protect Aquatic Resources

- 25. How does the definition of "waters of the United States" under the CWA affect State or Tribal efforts to protect wetlands?
  - A. An important component of successful implementation of the CWA section 404 program is a close working relationship with the States and Tribes. States and Tribes may assume operation of the section 404 program, and to date two States have done so (Michigan and New Jersey). Many States and Tribes have chosen to protect wetlands under State/Tribal law, while working cooperatively with the Federal agencies without formally assuming the 404 program. The CWA establishes a baseline level of protection; nothing in federal law prevents states from providing greater protection.